## 1991 Year-End Index, Volumes 96-101

absolute age see also geochronology; isotopes Aegean Sea-geophysical surveys absolute age-dates seismic surveys: Tectonic connection of the Hellenic and Cycorals: Last interglacial reef and subsidence of the Cocos prus arcs and related geotectonic elements (Keeling) Islands, Indian Ocean (Anastasakis, G., et al.) 97(3-4): 261-277 (Woodroffe, C. D., et al.) 96(1-2): 137-143 Aegean Sea-oceanography foraminifers: Continuous surface dwelling of manganese sediments: Hydrothermal metallogenic processes off the isnodules on a hill on the Madeira abyssal plain during lands of Nisiros and Kos in the Hellenic volcanic arc abrupt sedimentation changes (Varnavas, S. P., et al.) 99(1-2): 109-133 (Ebbing, J. H. J., et al.) 98(1): 73-82 marine sediments: Geochemistry and geochronology of a hy-Aegean Sea-tectonophysics crust: Tectonic connection of the Hellenic and Cyprus arcs drothermal ferromanganese deposit from the North Fiji and related geotectonic elements Basin 97(3-4): 261-277 (Murphy, Edward, et al.) 98(2-4): 297-312 (Anastasakis, G., et al.) - Molluscan faunas and paleobathymetry of Holocene seaeromagnetic surveys see magnetic surveys under geophysical quences in the northeastern Nile Delta, Egypt surveys under Indian Ocean (Bernasconi, Maria Pia, et al.) 99(1-2): 29-43 Africa see also Egypt; Mozambique; South Africa - Sediment accumulation in a modern epicontinental-shelf setting; the Yellow Sea Alaska-oceanography (Alexander, C. R., et al.) 98(1): 51-72 sedimentation: Clay mineralogy and chemistry as indicators Seismic stratigraphy of Discovery Bay, Jamaica of hemipelagic sediment dispersal south of the Aleutian (Hine, Albert C., et al.) 98(1): 83-97 organic materials: Holocene raised shorelines on the Hatay (Hathon, Eric G., et al.) coasts (Turkey); palaeoecological and tectonic implicaalgal flora-biochemistry isotopes: Isotope paleontology; growth and composition of (Pirazzoli, P. A., et al.) 96(3-4): 295-311 extant calcareous species peat: The Corrubedo beach-lagoon complex, Galicia, Spain; (Wefer, Gerold, et al.) 100(1-4): 207-248 dynamics, sediments and Recent evolution of a mesotidal coastal embayment algal flora-coccoliths (Vilas, Federico E., et al.) 97(3-4): 391-404 Holocene: Coccolith sedimentation and transport in the sediments: Late Quaternary evolution of the Burullus Lagoon North Sea region, north-central Nile Delta, Egypt (Houghton, Simon D.) 99(1-2): 267-274 (Arbouille, Didier, et al.) 99(1-2): 45-66 - Monsoonal and fertility controls on Recent marginal sea volcanic rocks: Lamprophyric volcanism of Cenozoic age on and continental shelf coccolith assemblages from the west-

99(1-2): 93-108

99(1-2): 79-92

the Sierra Leone Rise; implications for regional tectonics

acoustical surveys see under geophysical surveys under Atlantic Ocean; data processing; Ionian Sea; Nova Scotia; Pacific

trace elements: Marine geology of the Gulf of Trieste (north-

marine geology: Marine geology of the Gulf of Trieste (north-

- Marine geology of the Gulf of Trieste (northern Adriatic);

and the stratigraphic time scale

ern Adriatic); geochemical aspects

ern Adriatic); geochemical aspects

acoustical methods see under geophysical methods

(Jones, E. J. W., et al.)

Ocean; Puerto Rico

Adriatic Sea-geochemistry

(Faganeli, J., et al.)

Adriatic Sea-oceanography

(Faganeli, J., et al.)

sedimentological aspects (Ogorelec, B., et al.)

(Houghton, Simon D., et al.)
algal flora—diatom flora

biochemistry: Enhancement of diatom frustule dissolution by iron oxides

(Mayer Lawrence M. et al.) 99(1-2): 263-266

ern Pacific and northern Indian oceans

(Mayer, Lawrence M., et al.) 99(1-2): 263-266 Quaternary: Peruvian coastal upwelling; late Quaternary productivity changes revealed by diatoms (Schrader, Hans, et al.) 97(3-4): 233-249

algal flora-nannofossils

Cretaceous: Stable isotopic and carbonate cyclicity in Lower Cretaceous deep-sea sediments; dominance of diagenetic effects
(Thierstein, Hans R., et al.) 97(1-2): 1-34

Alps see also the individual countries

Andes see also the individual countries

Antarctic Ocean—geochemistry

Sea (Antarctica) sediments

(Hieke Merlin, O., et al.)

trace elements: Geochemical characteristics of western Ross

99(1-2): 209-229

Antarctic Ocean—geophysical surveys			Basin	
		gh-mouth fan on the	(Knutsen, Stig-Morten, et al.)	101(1-4): 31-48
Weddell Sea continental margin, Antarctica (Kuvaas, Berit, et al.) 97(3-4): 345-362			<ul> <li>Evolution of the Cenozoic sediment</li> </ul>	
			ing and seafloor spreading west of the Stappen High, west-	
Antarctic Ocean—oceanography			ern Barents Sea	
ocean floors: The C	crary Fan; a trough-m	outh fan on the Wed-	(Richardsen, G., et al.)	101(1-4): 11-30
dell Sea continental margin, Antarctica		Arctic region see also the individual countries		
(Kuvaas, Berit,	et al.)	97(3-4): 345-362	Argentina—engineering geology	
Antarctic Ocean-s	tratigraphy		shorelines: Geomorphologic evolution of El Toro Channel,	
Tertiary: Eocene/	Oligocene paleocean	ography in the An-	Bahia Blanca Estuary (Argentina) p	
tarctic Ocean, A	Atlantic sector (Maud	Rise, ODP Leg 113,	(Perillo, Gerardo M. E., et al.)	97(3-4): 405-412
Site 689B and	690B)		Argentina—geomorphology	
(Diester-Haass,	Liselotte)	100(1-4): 249-276	changes of level: Gravel drift and wind	
Antarctica-oceano	graphy		tidal San Sebastian Bay, Tierra del	
continental margin: The Crary Fan; a trough-mouth fan on the			(Isla, F. I., et al.)	97(1-2): 211-224
Weddell Sea co	ntinental margin, Ar	ntarctica	Asia see also China; India; Korea	
(Kuvaas, Berit,	et al.)	97(3-4): 345-362	Atlantic Coastal Plain—geomorphology	
Appalachians see also the individual states and provinces			processes: Fluvial sediment delivery to a coastal plain estuary	
Arabian Gulf see Persian Gulf			in the Atlantic drainage of the Unit	
Arabian Gun see reisian Gun Arabian Peninsula see also Kuwait; Saudi Arabia			(Phillips, Jonathan D.)	98(1): 121-134
		i Alabia	Atlantic Coastal Plain—oceanography	
Arabian Sea—geopl		- f	continental shelf: Origin, evolution, and distribution of shoref-	
	ombay High Oil-field	e from magnetic ano-	ace sand ridges, Atlantic inner shelf, U.S.A.	
(Gopala Rao, I		96(1-2): 111-122	(McBride, Randolph A., et al.)	97(1-2): 57-85
		90(1-2). 111-122	sedimentation: Tidal resuspension of s	sediments in northern
Arabian Sea—stratigraphy  Quaternary: Clay-mineral accumulation rates in the Arabian			Chesapeake Bay	07(1.2), 97.102
- , ,		n rates in the Arabian	(Sanford, Lawrence P., et al.)	97(1-2): 87-103
	late Quaternary	97(1-2): 105-119	Atlantic Ocean see also Caribbean Sea;	Juli of Mexico; North
(Sirocko, Frank		97(1-2): 105-119	Sea	
Arabian Sea—tectonophysics			Atlantic Ocean—environmental geology	
crust: Gravity anomalies and crustal structure of the western			ecology: The fauna of the HEBBLE site; patterns in standing	
continental margin off Goa and Mulki, India (Subrahmanyam, V., et al.) 99(1-2): 247-256			stock and sediment-dynamic effects	
		99(1-2): 247-230	(Thistle, David, et al.)	99(3-4): 413-422
Arctic Ocean—geo		the outer Voring Pla-	Atlantic Ocean—geochemistry	to avaliaity in Lawrence
teau	enozoic subsidence of	the outer voring Pla-	isotopes: Stable isotopic and carbonate cyclicity in Lower Cretaceous deep-sea sediments; dominance of diagenetic	
	leben, Gabriele)	101(1-4): 1-9	effects	ininance of diagenetic
		reenland Basin); pat-	(Thierstein, Hans R., et al.)	97(1-2): 1-34
	ology and sediment		trace elements: Comparative mineralog	
(Hempel, P., et		96(1-2): 175-185	gold-bearing sulfide deposits on the mid-ocean ridges	
		on on the Norwegian	(Hannington, Mark, et al.)	101(1-4): 217-248
	be between 67° and		- Rare earth element indicators of	
(Yoon, S. H., e		99(1-2): 187-207	crust formation on Krylov Seamou	
Arctic Ocean—ocea		77(1-2): 10: 20:	(Varentsov, I. M., et al.)	96(1-2): 71-84
		e outer Voring Plateau	Atlantic Ocean—geochronology	()
	Weben, Gabriele)	101(1-4): 1-9	Eocene: Lamprophyric volcanism of	Cenozoic age on the
		reenland Basin); pat-	Sierra Leone Rise; implications for	
	ology and sediment		the stratigraphic time scale	regional rectonico and
(Hempel, P., et		96(1-2): 175-185	(Jones, E. J. W., et al.)	99(1-2): 19-28
		ganic matter of a gla-	Atlantic Ocean—geophysical surveys	, ,
		tope stage 6/5) in the	acoustical surveys: Glacially influenced	basin plain sedimenta
Norwegian-Greenland Sea			tion in the southern Faeroe-Shetlan	
(Botz, R., et al		98(1): 113-119	United Kingdom continental margin	
- Composition	and origin of sedimen	its on the mid-oceanic	(Stoker, M. S., et al.)	100(1-4): 185-199
	ige, north of Iceland		- Parasound echosounding; compar	
(Lackschewitz,	K. S., et al.)	101(1-4): 71-82	digital echosounder records and	
- Sedimentary facies of glacial-interglacial cycles in the			sediments from the Equatorial Sou	
	1 1 1 25	0 ka [discussion and	(Rostek, Frauke, et al.)	99(1-2): 1-18

reply]

(Thomson, John, et al.)

Cenozoic: Early Cenozoic sedimentation in the Hammerfest

Arctic Ocean-stratigraphy

96(1-2): 131-136

99(3-4): 423-444

97(3-4): 251-259

98(2-4): iii-iv

- Rates of particle scavenging, sediment reworking, and

measurements of 234Th and 210Pb

(DeMaster, David J., et al.)

(Houghton, Simon D., et al.)

Coulbourn, William T.: William (Bill) T. Coulbourn, 1946-

biography-general

(Hill, Peter J.)

1990

longitudinal ripple formation at the HEBBLE site based on

- Sand transport in the Bristol Channel; bedload parting single channel and multichannel seismic data from the Berzone or mutually evasive transport pathways? muda Rise 101(1-4): 209-216 (Harris, P. T., et al.) (Bowles, F. A., et al.) 96(3-4): 279-293 - Sand transport in the Bristol Channel east of Bull Point - Quaternary deposits on the South Barbados accretionary and Worms Head; a bed-load parting model with some prism indications of mutually evasive sand transport paths (Faugeres, J. C., et al.) 96(3-4): 247-267 101(1-4): 203-207 (Stride, A. H., et al.) surveys: Late Pleistocene sedimentation on the Norwegian Sedimentation and climate-induced sediments on Feni continental slope between 67° and 71°N Ridge, Northeast Atlantic Ocean (Yoon, S. H., et al.) 99(1-2): 187-207 (van Weering, T. C. E., et al.) 101(1-4): 49-69 Atlantic Ocean-oceanography Suspended sediment storm modeling diagenesis: Mn-Fe oxyhydroxide crusts from Krylov Sea-(Gross, Thomas Floyd, et al.) 99(3-4): 343-360 mount (eastern Atlantic); mineralogy, geochemistry and sediments: Surface sediment carbonate mineralogy and water genesis column chemistry; Nicaragua Rise versus the Bahamas (Varentsov, I. M., et al.) 96(1-2): 53-70 (Droxler, Andre, et al.) 100(1-4): 277-289 nodules: Continuous surface dwelling of manganese nodules Atlantic Ocean-stratigraphy on a hill on the Madeira abyssal plain during abrupt sedi-Cenozoic: A record of Pliocene and Pleistocene glaciations mentation changes and climatic changes in the North Atlantic based on varia-(Ebbing, J. H. J., et al.) tions in volcanic and sedimentary facies in Iceland ocean circulation: Small-scale spatial structure and long-term (Eiriksson, Jon, et al.) 101(1-4): 147-159 - Cenozoic geology of the Northwest European continental variability of near-bottom layers in the HEBBLE area margin and adjacent deep-sea areas (Ezer, Tal. et al.) 99(3-4): 319-328 (Vorren, Tore O., et al.) 101(1-4): 1-159 The relationship of low-frequency deep variability near Quaternary: Quaternary stratigraphy of the Draugen area, the HEBBLE site to Gulf Stream fluctuations Mid-Norwegian Shelf (Welsh, Elizabeth B., et al.) 99(3-4): 303-317 (Haflidason, Haflidi, et al.) 101(1-4): 125-145 ocean floors: A giant submarine slope failure on the northern Atlantic Ocean Islands see also Iceland insular slope of Puerto Rico (Schwab, W. C., et al.) 96(3-4): 237-246 Atlantic region see also the individual countries Geological interpretations based on deep-tow single atolls see reefs under oceanography under data processing; channel and multichannel seismic data from the Bermuda Egypt; Indian Ocean Islands; Solomon Islands Rise automatic data processing see data processing (Bowles, F. A., et al.) 96(3-4): 279-293 Bahamas—oceanography Lamprophyric volcanism of Cenozoic age on the Sierra sediments: Surface sediment carbonate mineralogy and water Leone Rise; implications for regional tectonics and the column chemistry; Nicaragua Rise versus the Bahamas stratigraphic time scale (Droxler, Andre, et al.) 100(1-4): 277-289 (Jones, E. J. W., et al.) 99(1-2): 19-28 Baltic region see also the individual countries sedimentation: A model-dependent method for inverting ver-Barbados-stratigraphy tical profiles of scattering to obtain particle size spectra in Quaternary: Quaternary deposits on the South Barbados acboundary layers cretionary prism (Lynch, James F., et al.) 99(3-4): 387-401 96(3-4): 247-267 (Faugeres, J. C., et al.) - Characterization of deep-sea storms barium-geochemistry (Gross, Thomas Floyd, et al.) 99(3-4): 281-301 marine sediments: Possible diagenetic mobilization of barium Deep ocean sediment transport in sapropelic sediment from the eastern Mediterranean (Nowell, A. R. M.) 99(3-4): 275-460 (van Os, Bertil J. H., et al.) 100(1-4): 125-136 - History of terrigenous sedimentation during the past 10 basalts see under igneous rocks m.y. in the North Atlantic (ODP legs 104 and 105 and beaches see under shore features under geomorphology DSDP Leg 81) (Wolf, Thomas C. W., et al.) 101(1-4): 83-102 biogeography see also under stratigraphy under Pacific Ocean - In-situ measurements of particle settling velocity in the biogeography-algal flora deep sea Holocene: Monsoonal and fertility controls on Recent mar-(McCave, I. N., et al.) 99(3-4): 403-411 ginal sea and continental shelf coccolith assemblages from - Modes of cross-shore sediment transport on the shoreface the western Pacific and northern Indian oceans

96(1-2): 19-51

97(1-2): 57-85

- Sediment concentration profiling in HEBBLE using a 1-

seismic surveys: Geological interpretations based on deep-tow

99(3-4): 361-385

MHz acoustic backscatter system

of the Middle Atlantic Bight

ridges, Atlantic inner shelf, U.S.A.

(McBride, Randolph A., et al.)

- Origin, evolution, and distribution of shoreface sand

(Wright, L. D., et al.)

(Lynch, James F., et al.)

Keen, Michael John: In memoriam; Dr. Michael J. Keen (Klein, E. M.) 97(3-4): 423

book reviews-geophysical surveys

title: Geological surveying and sampling

96(3-4): 353-354 (Hamilton, Edwin L.)

## book reviews-oceanography

title: Coastal oceanography of Washington and Oregon (Noble, Marlene) 96(1-2): 191-192

- The manganese nodule belt of the Pacific Ocean; geological environment, nodule formation and mining aspects (Calvert, S. E.) 96(3-4): 354-355

California—geochemistry

organic materials: Observations of gas hydrates in marine sediments, offshore Northern California (Brooks, James M., et al.) 96(1-2): 103-109

California-oceanography

continental shelf: Surface and near-surface sediments from the continental shelf off the Russian River, Northern Cali-(Demirpolat, Suleyman) 99(1-2): 163-173

Canada see also Atlantic Coastal Plain; Great Lakes; Nova Scotia; Ontario; Quebec

carbon-isotopes

C-13/C-12: Analysis of sedimentary organic matter of a glacial/interglacial change (oxygen isotope stage 6/5) in the Norwegian-Greenland Sea

(Botz, R., et al.) - Carbon and oxygen isotope composition of foraminifera in two cores from the Bannock Basin area, eastern Mediterranean

(Olausson, Eric) 100(1-4): 45-51 - Interaction between hemipelagic sediment and a hydrothermal system; Middle Valley, northern Juan de Fuca Ridge, subarctic Northeast Pacific

(Al-Aasm, Ihsan S., et al.) 98(1): 25-40 - Isotope paleontology; growth and composition of extant

calcareous species (Wefer, Gerold, et al.) 100(1-4): 207-248

- Marine geology of the Gulf of Trieste (northern Adriatic); geochemical aspects

(Faganeli, J., et al.) 99(1-2): 93-108 - Observations of gas hydrates in marine sediments, offshore Northern California

(Brooks, James M., et al.) 96(1-2): 103-109 - Stable isotopic and carbonate cyclicity in Lower Cretaceous deep-sea sediments; dominance of diagenetic effects (Thierstein, Hans R., et al.) 97(1-2): 1-34

carbonate rocks see under sedimentary rocks

Caribbean region see also the individual countries

Caribbean region-tectonophysics

plate tectonics: A giant submarine slope failure on the northern insular slope of Puerto Rico

(Schwab, W. C., et al.) 96(3-4): 237-246 - Quaternary deposits on the South Barbados accretionary

prism 96(3-4): 247-267 (Faugeres, J. C., et al.)

Caribbean Sea-oceanography

sediments: Surface sediment carbonate mineralogy and water column chemistry; Nicaragua Rise versus the Bahamas (Droxler, Andre, et al.) 100(1-4): 277-289 Carpathians see also the individual countries

cartography see under maps

Cayman Islands—geophysical surveys

remote sensing: Application of image analysis for delineating modern carbonate facies changes through time; Grand Cayman, western Caribbean Sea (Tongpenyai, Boonrasri, et al.) 96(1-2): 85-101

Cenozoic see also under stratigraphy under Arctic Ocean; Atlantic Ocean; Gulf of Mexico

cesium-isotones

Cs-137: Marine geology of the Gulf of Trieste (northern Adriatic); geochemical aspects (Faganeli, J., et al.) 99(1-2): 93-108

changes of level see also under geomorphology under Argentina; Egypt; Florida; Greece; Iceland; Spain; Turkey; see also under stratigraphy under Jamaica; Korea; South Africa

changes of level-concepts

unconformities: Onlap, offlap, and the origin of unconformity-bounded depositional sequences (Christie-Blick, Nicholas) 97(1-2): 35-56

chemical analysis see also X-ray analysis

chemical analysis-methods

polarography: Determination of inorganic sulphur speciation with polarographic techniques; some preliminary results for Recent hypersaline anoxic sediments 100(1-4): 115-123 (Henneke, Else, et al.)

China-oceanography

continental shelf: Sediment accumulation in a modern epicontinental-shelf setting; the Yellow Sea (Alexander, C. R., et al.)

- The influences of suspended load on the sedimentation in the coastal zones and continental shelves of China (Li Congxian, et al.) 96(3-4): 341-352

circulation in the ocean see ocean circulation

clastic rocks see under sedimentary rocks

clastic sediments see under sediments

clay mineralogy—areal studies

Arabian Sea: Clay-mineral accumulation rates in the Arabian Sea during the late Quaternary (Sirocko, Frank, et al.) 97(1-2): 105-119

Caribbean region: Quaternary deposits on the South Barbados accretionary prism

(Faugeres, J. C., et al.) 96(3-4): 247-267

Kuwait: Mineralogy and provenance of the clastic deposits of the modern intertidal environment of the northern Arabian Gulf

(Al-Bakri, Dhia, et al.) 97(1-2): 121-135 Mediterranean Sea: Origin and differentiation of clay minerals in pelagic sediments and sapropels of the Bannock Basin (eastern Mediterranean)

(Tomadin, Luciano, et al.) 100(1-4): 35-43 Pacific Ocean: Clay mineralogy and chemistry as indicators of hemipelagic sediment dispersal south of the Aleutian

(Hathon, Eric G., et al.) 97(1-2): 145-166

- The vertical change in clay mineral composition and chemical characteristics of smectite in sediment cores from the southern part of the central Pacific Basin (Aoki, Saburo, et al.) 98(1): 41-49 clay mineralogy-general

sample preparation: Suggestions for authors whose manuscripts include quantitative clay mineral analysis by X-ray

(McManus, Dean A.)

98(1): 1-5

clay minerals—areal studies

Indian Ocean: Sedimentary history and chemical characteristics of clay minerals in cores from the distal part of the Bengal Fan (ODP 116) (Aoki, Saburo, et al.) 99(1-2): 175-185

climate, ancient see paleoclimatology

cobalt-geochemistry

chemically precipitated rocks: Regional and depth variability in the composition of cobalt-rich ferromanganese crusts from the SOPAC area and adjacent parts of the central Equatorial Pacific

(Hodkinson, R. A., et al.) 98(2-4): 437-447 nodules: Manganese nodules in the EEZ's of island countries

in the southwestern Equatorial Pacific (Cronan, D. S., et al.)

98(2-4)- 425-435

Colorado Plateau see also the individual states

Columbia Plateau see also the individual states

congresses see symposia

continental margin see also under oceanography under Antarctica; Europe; Florida; France; India; Korea; Norway; Scot-

continental shelf see also marine geology; see also under oceanography under Atlantic Coastal Plain; California; China; India; Korea; Norway

continental slope see also marine geology; see also under oceanography under Norway

copper-geochemistry

nodules: Manganese nodules in the EEZ's of island countries in the southwestern Equatorial Pacific (Cronan, D. S., et al.) 98(2-4): 425-435

coral reefs see reefs

Cretaceous-geochemistry

isotopes: Stable isotopic and carbonate cyclicity in Lower Cretaceous deep-sea sediments; dominance of diagenetic effects

(Thierstein, Hans R., et al.) 97(1-2): 1-34

crust see also under tectonophysics under Aegean Sea; Arabian Sea: Indian Ocean

crystal chemistry see also minerals

crystal growth see also minerals

crystal structure see also minerals

Cyprus-structural geology

neotectonics: Tectonic connection of the Hellenic and Cyprus arcs and related geotectonic elements (Anastasakis, G., et al.) 97(3-4): 261-277

data processing-geophysical methods

acoustical methods: Linear features on side-scan sonar images; an algorithm for the correction of angular distortion 96(1-2): 187-190 (Voulgaris, G., et al.)

data processing-geophysical surveys

acoustical surveys: Parasound echosounding; comparison of analogue and digital echosounder records and physical properties of sediments from the Equatorial South Atlantic (Rostek, Frauke, et al.) 99(1-2): 1-18 data processing-oceanography

marine geology: A decade of growth in the South Pacific marine geoscience data base

(Crook, Keith A. W., et al.) 98(2-4): 155-165 reefs: Three-dimensional representation of coral reefs; generation of submarine terrain images on personal computers (Isdale, Peter) 96(1-2): 145-150

deposition of ores see mineral deposits, genesis

diagenesis see also sedimentation

diagenesis-cementation

coastal environment: Beachrock formation in low latitudes; implications for coastal evolutionary models 98(1): 145-154

(Cooper, J. Andrew G.)

lithification: Hardground formation in the Bannock Basin, eastern Mediterranean

(Aghib, Fulvia S., et al.)

100(1-4): 103-113

diagenesis-effects

nodules: The formation of manganese nodules between the Clarion and Clipperton fracture zones southeast of Hawaii 98(2-4): 411-423 (von Stackelberg, Ulrich, et al.)

diagenesis-environment

coastal environment: Shoreline deposits and diagenesis resulting from two late Pleistocene highstand near +5 and +6 metres, Durban, South Africa (Cooper, J. Andrew G., et al.) 97(3-4): 325-343

diagenesis-geochemistry

barium: Possible diagenetic mobilization of barium in sapropelic sediment from the eastern Mediterranean 100(1-4): 125-136 (van Os, Bertil J. H., et al.)

isotopes: Stable isotopic and carbonate cyclicity in Lower Cretaceous deep-sea sediments; dominance of diagenetic effects

(Thierstein, Hans R., et al.)

metals: Biogenic influence on the growth of ferromanganese micronodules in the Central Indian Basin 97(3-4): 413-421 (Banerjee, R., et al.)

mobility: Geochemistry of eastern Mediterranean sediments; primary sediment composition and diagenetic alterations (Pruysers, Peter A., et al.) 100(1-4): 137-154

diagenesis-materials

diamicton: Sedimentary facies of glacial-interglacial cycles in the Norwegian Sea during the last 350 ka [discussion and (Thomson, John, et al.) 96(1-2): 131-136

diagenesis-processes

authigenesis: Interaction between hemipelagic sediment and a hydrothermal system; Middle Valley, northern Juan de Fuca Ridge, subarctic Northeast Pacific (Al-Aasm, Ihsan S., et al.) 98(1): 25-40

- Mn-Fe oxyhydroxide crusts from Krylov Seamount (eastern Atlantic); mineralogy, geochemistry and genesis (Varentsov, I. M., et al.) 96(1-2): 53-70

- The vertical change in clay mineral composition and chemical characteristics of smectite in sediment cores from the southern part of the central Pacific Basin 98(1): 41-49 (Aoki, Saburo, et al.)

pyritization: Determination of inorganic sulphur speciation with polarographic techniques; some preliminary results for Recent hypersaline anoxic sediments

(Henneke, Else, et al.) 100(1-4): 115-123

diatom flora see under algal flora

Eastern Hemisphere see also Antarctic Ocean; Antarctica; Arctic Ocean; Atlantic Ocean; Europe; Indian Ocean

Eastern U.S. see also Florida; Maryland; North Carolina; South Carolina; Virginia

ecology see also under environmental geology under Atlantic Ocean

ecology-algal flora

marine environment: Monsoonal and fertility controls on Recent marginal sea and continental shelf coccolith assemblages from the western Pacific and northern Indian oceans (Houghton, Simon D., et al.) 97(3-4): 251-259

— Peruvian coastal upwelling; late Quaternary productivity

changes revealed by diatoms

(Schrader, Hans, et al.) 97(3-4): 233-249

ecology-interpretation

indicators: Isotope paleontology; growth and composition of extant calcareous species
(Wefer, Gerold, et al.) 100(1-4): 207-248

ecology-invertebrates

deep-sea environment: The fauna of the HEBBLE site; patterns in standing stock and sediment-dynamic effects (Thistle, David, et al.) 99(3-4): 413-422

Egypt-geochronology

Quaternary: Late Quaternary evolution of the Burullus Lagoon region, north-central Nile Delta, Egypt (Arbouille, Didier, et al.) 99(1-2): 45-66

Egypt-geomorphology

Changes of level: Late Quaternary evolution of the Burullus Lagoon region, north-central Nile Delta, Egypt (Arbouille, Didier, et al.) 99(1-2): 45-66

Egypt—geophysical surveys

remote sensing: Shoreline changes along the Rosetta-Nile Promontory; monitoring with satellite observations (Blodget, H. W., et al.) 99(1-2): 67-77

Egypt-oceanography

reefs: Unconsolidated reefal sediments in the Jubal Strait region, Red Sea, Egypt
(Moussa, A. A., et al.) 97(3-4): 379-390

Egypt-stratigraphy

Holocene: Molluscan faunas and paleobathymetry of Holocene sequences in the northeastern Nile Delta, Egypt (Bernasconi, Maria Pia, et al.) 99(1-2): 29-43

electrical surveys see under geophysical surveys under Saudi Arabia

electron microscopy see also chemical analysis; X-ray analysis engineering geology see also geophysical methods; shorelines; slope stability; soil mechanics

England-oceanography

sedimentation: Sand transport in the Bristol Channel; bedload parting zone or mutually evasive transport pathways? (Harris, P. T., et al.) 101(1-4): 209-216

— Sand transport in the Bristol Channel east of Bull Point and Worms Head; a bed-load parting model with some indications of mutually evasive sand transport paths (Stride, A. H., et al.) 101(1-4): 203-207 environmental geology see also ecology

Eocene see also under geochronology under Atlantic Ocean epeirogeny see also changes of level

erosion see under processes under geomorphology

eruptive rocks see igneous rocks

Europe see also England; France; Greece; Iceland; Norway; Scotland; Spain; Wales

Europe-oceanography

continental margin: Cenozoic geology of the Northwest European continental margin and adjacent deep-sea areas (Vorren, Tore O., et al.) 101(1-4): 1-159 evaporites see also under chemically precipitated rocks under

sedimentary rocks experimental studies see under marine geology

Far East see also the individual countries

faulting see faults

faults-displacements

active faults: Holocene raised shorelines on the Hatay coasts (Turkey); palaeoecological and tectonic implications (Pirazzoli, P. A., et al.) 96(3-4): 295-311

 Tectonic connection of the Hellenic and Cyprus arcs and related geotectonic elements

(Anastasakis, G., et al.) 97(3-4): 261-277

strike-slip faults: Dynamic strike-slip fault systems with respect to the Solomon Islands, and their effect on mineral

potential (Coleman, Patrick J.) 98(2-4): 167-176

faults-systems

grabens: Late Quaternary evolution of the Gulf of Patras, Greece; tectonism, deltaic sedimentation and sea-level change (Chronis, George, et al.) 97(1-2): 191-209

Fiji-economic geology

petroleum: Petroleum geology of Fiji (Johnson, Howard) 98(2-4): 313-352

fish-biochemistry

isotopes: Isotope paleontology; growth and composition of extant calcareous species (Wefer, Gerold, et al.) 100(1-4): 207-248

Florida—geomorphology

changes of level: Geologic evidence of net onshore sand transport throughout the Holocene marine transgression, Southwest Florida (Parkinson, Randall W.) 96(3-4): 269-277

Florida-oceanography

continental margin: Evolution of a deep-water carbonate platform; Upper Cretaceous to Pleistocene sedimentary environments on the West Florida margin (Gardulski, Anne F., et al.) 101(1-4): 163-179

sediments: Hurricane-induced carbonate enrichment of a Holocene coastal bay sequence, Sarasota Bay, Florida (Knowles, Stephen C., et al.) 99(1-2): 151-161

folds see also faults

foraminifera see also foraminifers

foraminifers-biochemistry

isotopes: Carbon and oxygen isotope composition of foraminifera in two cores from the Bannock Basin area, eastern Mediterranean (Olausson, Eric) 100(1-4): 45-51

Glacial deep-water properties in the west-equatorial Pacific; bathyal thermocline near a depth of 2000 m (Herguera, J. C., et al.) 100(1-4): 201-206

geologic time see absolute age; geochronology

calcareous species geomorphology see also glacial geology (Wefer, Gerold, et al.) 100(1-4): 207-248 geomorphology-data processing - Pleistocene δ18O records from Ontong-Java Plateau; efdigital simulation: Three-dimensional representation of coral fects of winnowing and dissolution reefs; generation of submarine terrain images on personal (Wu, Guoping, et al.) 95(3-4): 193-209 computers foraminifers—biostratigraphy (Isdale, Peter) 96(1-2): 145-150 Eocene: Lamprophyric volcanism of Cenozoic age on the geomorphology-processes Sierra Leone Rise; implications for regional tectonics and erosion: Fluvial sediment delivery to a coastal plain estuary in the stratigraphic time scale the Atlantic drainage of the United States (Jones, E. J. W., et al.) 99(1-2): 19-28 (Phillips, Jonathan D.) Pliocene: Plio-Pleistocene foraminiferal stratigraphy and corsedimentation: Acoustic measurements of suspended sand on relation in the central North Sea the shoreface and the control of concentration by bed (Knudsen, K. L., et al.) 101(1-4): 113-124 roughness Quaternary: Quaternary deposits on the South Barbados ac-(Vincent, Christopher E., et al.) cretionary prism - Equilibrium slopes and cross-shore velocity asymmetries (Faugeres, J. C., et al.) 96(3-4): 247-267 in a storm-dominated, barred nearshore system fossils see appropriate fossil group (Greenwood, Brian, et al.) 96(3-4): 211-235 foundations see also soil mechanics - Geologic evidence of net onshore sand transport through-France-oceanography out the Holocene marine transgression, Southwest Florida continental margin: The Messinian event on the margin of the (Parkinson, Randall W.) 96(3-4): 269-277 Mediterranean Sea in the Nice area, southern France - Mineralogy and provenance of the clastic deposits of the 97(3-4): 279-304 (Savoye, Bruno, et al.) modern intertidal environment of the northern Arabian estuaries: Grain-size relationship between suspended matter originating in the Gironde Estuary and shelf mud-patch (Al-Bakri, Dhia, et al.) deposits 97(1-2): 121-135 (Weber, O., et al.) geomorphology-shore features 96(1-2): 159-165 France-stratigraphy barrier beaches: Gravel-barrier migration and overstepping Miocene: The Messinian event on the margin of the Mediter-(Forbes, D. L., et al.) 97(3-4): 305-313 ranean Sea in the Nice area, southern France beaches: Video estimation of subaerial beach profiles (Savoye, Bruno, et al.) 97(3-4): 279-304 (Holman, R. A., et al.) 97(1-2): 225-231 genesis of ore deposits see mineral deposits, genesis coastlines: Holocene raised shorelines on the Hatay coasts geochemistry-processes (Turkey); palaeoecological and tectonic implications partitioning: Accumulation rates, chemical partitioning, and (Pirazzoli, P. A., et al.) 96(3-4): 295-311 Q-mode factor analysis of metalliferous sediments from the - Shoreline changes along the Rosetta-Nile Promontory; North Fiji Basin monitoring with satellite observations (McMurtry, Gary M., et al.) 98(2-4): 271-295 (Blodget, H. W., et al.) 99(1-2): 67-77 reduction: Determination of inorganic sulphur speciation deltas: Molluscan faunas and paleobathymetry of Holocene with polarographic techniques; some preliminary results sequences in the northeastern Nile Delta, Egypt for Recent hypersaline anoxic sediments (Bernasconi, Maria Pia, et al.) 99(1-2): 29-43 (Henneke, Else, et al.) 100(1-4): 115-123 landform evolution: Beachrock formation in low latitudes; imsolution: Enhancement of diatom frustule dissolution by iron plications for coastal evolutionary models oxides (Cooper, J. Andrew G.) 98(1): 145-154 (Mayer, Lawrence M., et al.) 99(1-2): 263-266 - Deltas, spits and littoral terraces associated with rising sea Surface sediment carbonate mineralogy and water colevel; late Quaternary examples from northern Iceland lumn chemistry; Nicaragua Rise versus the Bahamas (Thors, Kjartan, et al.) 98(1): 99-112 (Droxler, Andre, et al.) 100(1-4): 277-289 - Geomorphologic evolution of El Toro Channel, Bahia geochronology see also absolute age Blanca Estuary (Argentina) prior to dredging geochronology-paleomagnetism (Perillo, Gerardo M. E., et al.) 97(3-4): 405-412 Pliocene: A record of Pliocene and Pleistocene glaciations - Gravel drift and wind effects on the macrotidal San Sebasand climatic changes in the North Atlantic based on variatian Bay, Tierra del Fuego, Argentina tions in volcanic and sedimentary facies in Iceland 97(1-2): 211-224 (Isla, F. I., et al.) (Eiriksson, Jon, et al.) 101(1-4): 147-159 - Origin, evolution, and distribution of shoreface sand geochronology-tephrochronology ridges, Atlantic inner shelf, U.S.A. Quaternary: Tephra layers in Bannock Basin (eastern Medi-(McBride, Randolph A., et al.) 97(1-2): 57-85 terranean) - Seismic stratigraphy of Discovery Bay, Jamaica (Vezzoli, Luigina) 100(1-4): 21-34 98(1): 83-97 (Hine, Albert C., et al.) geochronology-time scales - The Corrubedo beach-lagoon complex, Galicia, Spain; Cenozoic: Lamprophyric volcanism of Cenozoic age on the dynamics, sediments and Recent evolution of a mesotidal Sierra Leone Rise; implications for regional tectonics and the stratigraphic time scale coastal embayment (Jones, E. J. W., et al.) 99(1-2): 19-28 (Vilas, Federico E., et al.) 97(3-4): 391-404

- Isotope paleontology; growth and composition of extant

tidal flats: Evaporitic sediment distributions in Al-Kharrar sabkha, West Red Sea coast of Saudi Arabia, as revealed from electrical soundings (El Abd, Y. I., et al.)

97(1-2): 137-143

## geophysical methods see under data processing .

geophysical methods-acoustical methods

instruments: Measuring suspended sediment concentrations using acoustic backscatter devices (Thorne, P. D., et al.) 98(1): 7-16

Parasound echosounding; comparison of analogue and digital echosounder records and physical properties of sediments from the Equatorial South Atlantic (Rostek, Frauke, et al.) 99(1-2): 1-18

sonar methods: Linear features on side-scan sonar images; an algorithm for the correction of angular distortion 96(1-2): 187-190 (Voulgaris, G., et al.)

geophysical surveys see under Aegean Sea; Antarctic Ocean; Arabian Sea; Arctic Ocean; Atlantic Ocean; book reviews; Cayman Islands; data processing; Egypt; Gulf of Mexico; Iceland; Indian Ocean; Ionian Sea; Jamaica; Japan Sea; Mediterranean Sea; Nova Scotia; Pacific Ocean; Puerto Rico; Saudi Arabia; Yellow Sea; see acoustical surveys under geophysical surveys under Atlantic Ocean; data processing; Ionian Sea; Nova Scotia; Pacific Ocean; Puerto Rico; see electrical surveys under geophysical surveys under Saudi Arabia; see magnetic surveys under geophysical surveys under Indian Ocean; see seismic surveys under geophysical surveys under Aegean Sea; Antarctic Ocean; Arctic Ocean; Atlantic Ocean; Gulf of Mexico; Iceland; Jamaica; Japan Sea; Mediterranean Sea; Pacific Ocean; Yellow Sea; see surveys under geophysical surveys under Arabian Sea; Arctic Ocean; Atlantic Ocean; see also geophysical methods

glacial geology see also geomorphology

glacial geology-glaciation

deposition: A record of Pliocene and Pleistocene glaciations and climatic changes in the North Atlantic based on variations in volcanic and sedimentary facies in Iceland (Eiriksson, Jon, et al.) 101(1-4): 147-159

glacial erosion: The origin of major incisions within the Pleistocene deposits of the North Sea [with discussions and (Hamblin, R. J. O., et al.) 96(1-2): 123-129

glaciation see under glacial geology

grabens see under systems under faults

Great Basin see also the individual states

Great Britain see also England; Scotland; Wales

Great Lakes-geomorphology

processes: Equilibrium slopes and cross-shore velocity asymmetries in a storm-dominated, barred nearshore sys-

(Greenwood, Brian, et al.) 96(3-4): 211-235 Great Lakes region see also the individual states and provinces

Great Plains see also the individual states and provinces

Greece-geomorphology

changes of level: Late Quaternary evolution of the Gulf of Patras, Greece; tectonism, deltaic sedimentation and sealevel change

(Chronis, George, et al.) 97(1-2): 191-209 Greece—oceanography

sediments: Hydrothermal metallogenic processes off the islands of Nisiros and Kos in the Hellenic volcanic arc 99(1-2): 109-133 (Varnavas, S. P., et al.)

Greece-stratigraphy

Quaternary: Late Quaternary evolution of the Gulf of Patras. Greece; tectonism, deltaic sedimentation and sea-level change 97(1-2): 191-209 (Chronis, George, et al.)

Greece-structural geology

neotectonics: Late Quaternary evolution of the Gulf of Patras, Greece: tectonism, deltaic sedimentation and sea-level 97(1-2): 191-209

(Chronis, George, et al.) Tectonic connection of the Hellenic and Cyprus arcs and related geotectonic elements 97(3-4): 261-277 (Anastasakis, G., et al.)

ground water see also hydrology

Gulf Coastal Plain see also the individual states and countries

Gulf Coastal Plain-engineering geology

shorelines: Geologic evidence of net onshore sand transport throughout the Holocene marine transgression, Southwest Florida (Parkinson, Randall W.) 96(3-4): 269-277

Gulf Coastal Plain-oceanography

sediments: Hurricane-induced carbonate enrichment of a Holocene coastal bay sequence, Sarasota Bay, Florida (Knowles, Stephen C., et al.) 99(1-2): 151-161

Gulf of Mexico-geophysical surveys

seismic surveys: Morphological development of the Florida Escarpment; observations on the generation of time transgressive unconformities in carbonate terrains 101(1-4): 181-201 (Paull, Charles K., et al.)

Gulf of Mexico-oceanography

ocean floors: Morphological development of the Florida Escarpment; observations on the generation of time transgressive unconformities in carbonate terrains

(Paull, Charles K., et al.) 101(1-4): 181-201 sedimentation: Geologic evidence of net onshore sand transport throughout the Holocene marine transgression, Southwest Florida (Parkinson, Randall W.) 96(3-4): 269-277

Gulf of Mexico-stratigraphy

Cenozoic: Evolution of a deep-water carbonate platform; Upper Cretaceous to Pleistocene sedimentary environments on the West Florida margin (Gardulski, Anne F., et al.) 101(1-4): 163-179

Hawaii-geochemistry

sea water: Chemical alteration of seawater by lava from Kilauea Volcano, Hawaii (Sedwick, P. N., et al.) 96(1-2): 151-158

Himalayas see also the individual countries

Holocene see also under geochronology under Spain; see also under stratigraphy under Egypt; Mediterranean Sea

hydrocarbons see under organic materials

hydrogeology see also hydrology

hydrology-rivers and streams

sedimentation: Fluvial sediment delivery to a coastal plain estuary in the Atlantic drainage of the United States (Phillips, Jonathan D.) 98(1): 121-134 hydrothermal processes see under processes under mineral deposits, genesis

Iberian Peninsula see also Spain

ice ages see glacial geology

Iceland-geomorphology

changes of level: Deltas, spits and littoral terraces associated with rising sea level; late Quaternary examples from northern Iceland

(Thors, Kjartan, et al.)

98(1): 99-112

Iceland-geophysical surveys

seismic surveys: Deltas, spits and littoral terraces associated with rising sea level; late Quaternary examples from northern Iceland (Thors, Kjartan, et al.)

Iceland-stratigraphy

98(1): 99-112

Pleistocene: A record of Pliocene and Pleistocene glaciations and climatic changes in the North Atlantic based on variations in volcanic and sedimentary facies in Iceland

(Eiriksson, Jon, et al.) 101(1-4): 147-159 Pliocene: A record of Pliocene and Pleistocene glaciations and climatic changes in the North Atlantic based on variations in volcanic and sedimentary facies in Iceland (Eiriksson, Jon, et al.) 101(1-4): 147-159

igneous rocks see also lava; magmas

igneous rocks-basalts

geochemistry: Petrology and geochemistry of the central North Fiji Basin spreading centre (Southwest Pacific) between 16°S and 22°S

(Eissen, Jean-Philippe, et al.) 98(2-4): 201-239 Tectonics and magma genesis in the northern North Fiji Basin

98(2-4): 241-258 (Price, R. C., et al.)

igneous rocks-volcanic rocks

alkalic composition: Lamprophyric volcanism of Cenozoic age on the Sierra Leone Rise; implications for regional tectonics and the stratigraphic time scale (Jones, E. J. W., et al.) 99(1-2): 19-28

India-economic geology

oil and gas fields: A model of basement structure from magnetic anomalies of the Bombay High Oil-field west of India (Gopala Rao, D.) 96(1-2): 111-122

India-oceanography

continental margin: Gravity anomalies and crustal structure of the western continental margin off Goa and Mulki, India 99(1-2): 247-256 (Subrahmanyam, V., et al.)

continental shelf: A model of basement structure from magnetic anomalies of the Bombay High Oil-field west of India (Gopala Rao, D.) 96(1-2): 111-122

Indian Ocean see also Arabian Sea; Persian Gulf; Red Sea

Indian Ocean-geochronology

Pleistocene: Last interglacial reef and subsidence of the Cocos (Keeling) Islands, Indian Ocean (Woodroffe, C. D., et al.) 96(1-2): 137-143

Indian Ocean-geophysical surveys

magnetic surveys: Magnetic crust in the Bay of Bengal (Mishra, D. C.) 99(1-2): 257-261

Indian Ocean—oceanography

nodules: Biogenic influence on the growth of ferromanganese micronodules in the Central Indian Basin 97(3-4): 413-421 (Banerjee, R., et al.)

- Characteristics of manganese nodules from the central Indian Basin; relationship with the sedimentary environ-

(Martin-Barajas, A., et al.) 101(1-4): 249-265 sedimentation: Abyssal sediment erosion in the central Indian Basin; evidence from radiochemical and radiolarian studies (Banakar, V. K., et al.) 96(1-2): 167-173

- Sedimentary history and chemical characteristics of clay minerals in cores from the distal part of the Bengal Fan (ODP 116) (Aoki, Saburo, et al.) 99(1-2): 175-185

Indian Ocean-tectonophysics

crust: Magnetic crust in the Bay of Bengal

(Mishra, D. C.) 99(1-2): 257-261 plate tectonics: Last interglacial reef and subsidence of the Cocos (Keeling) Islands, Indian Ocean

(Woodroffe, C. D., et al.) 96(1-2): 137-143

Indian Ocean Islands-oceanography

reefs: Last interglacial reef and subsidence of the Cocos (Keeling) Islands, Indian Ocean (Woodroffe, C. D., et al.) 96(1-2): 137-143

instruments see under acoustical methods under geophysical methods

intrusions see also igneous rocks

invertebrates see also foraminifers; mollusks; radiolarians

invertebrates-biochemistry

isotopes: Isotope paleontology; growth and composition of extant calcareous species 100(1-4): 207-248 (Wefer, Gerold, et al.)

invertebrates-ecology

deep-sea environment: The fauna of the HEBBLE site; patterns in standing stock and sediment-dynamic effects (Thistle, David, et al.) 99(3-4): 413-422

Ionian Sea-geophysical surveys

acoustical surveys: Late Quaternary evolution of the Gulf of Patras, Greece; tectonism, deltaic sedimentation and sealevel change (Chronis, George, et al.) 97(1-2): 191-209

isostasy see also changes of level

isotope dating see absolute age

isotopes see also absolute age; geochronology

isotopes-analysis

stable isotopes: Isotope paleontology; growth and composition of extant calcareous species

isotopes-carbon

100(1-4): 207-248 (Wefer, Gerold, et al.)

C-13/C-12: Analysis of sedimentary organic matter of a glacial/interglacial change (oxygen isotope stage 6/5) in the Norwegian-Greenland Sea (Botz, R., et al.) 98(1): 113-119

Observations of gas hydrates in marine sediments, offshore Northern California (Brooks, James M., et al.) 96(1-2): 103-109

isotopes-oxygen

O-18/O-16: Pleistocene δ18O records from Ontong-Java Plateau; effects of winnowing and dissolution (Wu, Guoping, et al.)

isotopes-sediments

96(3-4): 193-209

marine sediments: Abyssal sediment erosion in the central Indian Basin: evidence from radiochemical and radiolarian

(Banakar, V. K., et al.)

96(1-2): 167-173

lava see also igneous rocks; magmas

- Eastern Mediterranean palaeoclimates from 26 to 5 ka lava-alteration effects: Chemical alteration of seawater by lava from Kilauea B.P. documented by pollen and isotopic analysis of a core Volcano, Hawaii in the anoxic Bannock Basin (Cheddadi, Rachid, et al.) 100(1-4): 53-66 (Sedwick, P. N., et al.) 96(1-2): 151-158 Glacial deep-water properties in the west-equatorial lava-geochemistry Pacific; bathyal thermocline near a depth of 2000 m trace elements: Petrology and geochemistry of the central (Herguera, J. C., et al.) 100(1-4): 201-206 North Fiji Basin spreading centre (Southwest Pacific) be-- Interaction between hemipelagic sediment and a hydrotween 16°S and 22°S thermal system; Middle Valley, northern Juan de Fuca (Eissen, Jean-Philippe, et al.) Ridge, subarctic Northeast Pacific - Tectonics and magma genesis in the northern North Fiji (Al-Aasm, Ihsan S., et al.) 98(1): 25-40 Marine geology of the Gulf of Trieste (northern Adriatic); 98(2-4): 241-258 (Price, R. C., et al.) geochemical aspects lead-isotopes 99(1-2): 93-108 (Faganeli, J., et al.) Pb-210: Rates of particle scavenging, sediment reworking, - Rates of particle scavenging, sediment reworking, and and longitudinal ripple formation at the HEBBLE site longitudinal ripple formation at the HEBBLE site based on based on measurements of 234Th and 210Pb measurements of 234Th and 210Pb (DeMaster, David J., et al.) 99(3-4): 423-444 (DeMaster, David J., et al.) 99(3-4): 423-444 magmas see also igneous rocks; lava - Stable isotopic and carbonate cyclicity in Lower Cretamagmas-genesis ceous deep-sea sediments; dominance of diagenetic effects back-arc basins: Tectonics and magma genesis in the northern (Thierstein, Hans R., et al.) 97(1-2): 1-34 North Fiji Basin Jamaica—geophysical surveys (Price, R. C., et al.) 98(2-4): 241-258 seismic surveys: Seismic stratigraphy of Discovery Bay, magnetic surveys see under geophysical surveys under Indian Jamaica (Hine, Albert C., et al.) 98(1): 83-97 magnetism of rocks and minerals see paleomagnetism Jamaica—stratigraphy mapping see maps changes of level: Seismic stratigraphy of Discovery Bay, maps-cartography Jamaica lithologic maps: Application of image analysis for delineating (Hine, Albert C., et al.) 98(1): 83-97 modern carbonate facies changes through time; Grand Japan Sea-geophysical surveys Cayman, western Caribbean Sea seismic surveys: Sediment failure on the Korea Plateau slope, (Tongpenyai, Boonrasri, et al.) 96(1-2): 85-101 East Sea (Sea of Japan) marine geology see also oceanography; see also under oceanogra-97(3-4): 363-377 (Lee, H. J., et al.) phy under Adriatic Sea; data processing; Pacific Ocean Japan Sea-oceanography marine geology-experimental studies currents: Can a continuous current of water generate turbiocean floors: Sediment failure on the Korea Plateau slope, East Sea (Sea of Japan) dites? Results of analog experiments (Duringer, Philipp, et al.) 99(1-2): 231-246 (Lee, H. J., et al.) 97(3-4): 363-377 sedimentation: In-situ measurements of particle settling Japan Sea-tectonophysics velocity in the deep sea plate tectonics: Evolution of the Philippine and Japan seas 99(3-4): 403-411 (McCave, I. N., et al.) from the clastic sediment record marine geology-methods (Nechaev, Victor P.) 97(1-2): 167-190 acoustical methods: Measuring suspended sediment concen-Korea-oceanography trations using acoustic backscatter devices continental margin: Sediment failure on the Korea Plateau (Thorne, P. D., et al.) 98(1): 7-16 slope, East Sea (Sea of Japan) marine geology—theoretical studies (Lee, H. J., et al.) 97(3-4): 363-377 sedimentation: Suspended sediment storm modeling continental shelf: Sediment accumulation in a modern epicon-(Gross, Thomas Floyd, et al.) 99(3-4): 343-360 tinental-shelf setting; the Yellow Sea marine sediments see under sediments (Alexander, C. R., et al.) 98(1): 51-72 Maryland-oceanography Korea-stratigraphy estuaries: Tidal resuspension of sediments in northern Chesachanges of level: Shallow seismic stratigraphy and distribution peake Bay pattern of late Quaternary sediments in a macrotidal bay; (Sanford, Lawrence P., et al.) 97(1-2): 87-103 Gunhung Bay, west coast of Korea mass movements see under slope stability (Park, S. C., et al.) 98(1): 135-144 Mediterranean region see also the individual countries Kuwait-geomorphology Mediterranean region-structural geology processes: Mineralogy and provenance of the clastic deposits neotectonics: Tectonic connection of the Hellenic and Cyprus of the modern intertidal environment of the northern arcs and related geotectonic elements Arabian Gulf (Anastasakis, G., et al.) 97(3-4): 261-277 (Al-Bakri, Dhia, et al.) 97(1-2): 121-135 Mediterranean Sea see also Adriatic Sea; Aegean Sea; Ionian

Sea; Tyrrhenian Sea

Mediterranean Sea-geochemistry

barium: Possible diagenetic mobilization of barium in sapropelic sediment from the eastern Mediterranean

(van Os, Bertil J. H., et al.)

100(1-4): 125-136

isotopes: Carbon and oxygen isotope composition of foraminifera in two cores from the Bannock Basin area, eastern Mediterranean

(Olausson, Eric)

100(1-4): 45-51

sulfur: Determination of inorganic sulphur speciation with polarographic techniques; some preliminary results for Recent hypersaline anoxic sediments

(Henneke, Else, et al.)

100(1-4): 115-123

trace elements: Geochemistry of eastern Mediterranean sediments; primary sediment composition and diagenetic alterations

(Pruysers, Peter A., et al.)

100(1-4): 137-154

Mediterranean Sea—geophysical surveys

seismic surveys: The Messinian event on the margin of the Mediterranean Sea in the Nice area, southern France (Savoye, Bruno, et al.) 97(3-4): 279-304

Mediterranean Sea-oceanography

ocean floors: Evidence of relief inversion from the rim-syncline of Bannock Basin

(Cita, Maria Bianca, et al.)

100(1-4): 67-81

sedimentation: Deep mid-water bacterial mats from anoxic basins of the eastern Mediterranean

(Erba, Elisabetta)

100(1-4): 83-101

- The occurrence and significance of Pleistocene and upper Pliocene sapropels in the Tyrrhenian Sea

100(1-4): 155-182 (Emeis, Kay-Christian, et al.) sediments: Anoxic basins and sapropel deposition in the east-

ern Mediterranean; past and present

100(1-4): 1-182

(Cita, Maria Blanca, et al.) - Facies analysis of Pleistocene sediments from the Bannock Basin area; a key to the reconstruction of its tectonic

(Nolli, Vilia, et al.)

100(1-4): 5-20

- Introduction; anoxic basins and sapropel deposition in the eastern Mediterranean; past and present

(Cita, Maria Bianca, et al.)

100(1-4): 1-4

- Origin and differentiation of clay minerals in pelagic sediments and sapropels of the Bannock Basin (eastern Mediterranean)

(Tomadin, Luciano, et al.)

100(1-4): 35-43 - Tephra layers in Bannock Basin (eastern Mediterranean) (Vezzoli, Luigina) 100(1-4): 21-34

Mediterranean Sea-sedimentary petrology

diagenesis: Hardground formation in the Bannock Basin, eastern Mediterranean

(Aghib, Fulvia S., et al.)

100(1-4): 103-113

Mediterranean Sea-stratigraphy

Holocene: Molluscan faunas and paleobathymetry of Holocene sequences in the northeastern Nile Delta, Egypt (Bernasconi, Maria Pia, et al.)

Quaternary: Eastern Mediterranean palaeoclimates from 26 to 5 ka B.P. documented by pollen and isotopic analysis of a core in the anoxic Bannock Basin 100(1-4): 53-66

(Cheddadi, Rachid, et al.)

Mediterranean Sea-tectonophysics

plate tectonics: Tectonic connection of the Hellenic and Cyprus arcs and related geotectonic elements (Anastasakis, G., et al.) 97(3-4): 261-277

meetings see symposia

Melanesia see also Fiji; Solomon Islands

Mesozoic see also Cretaceous

metal ores see also under economic geology under Ouebec

metals-geochemistry

marine sediments: Accumulation rates, chemical partitioning, and O-mode factor analysis of metalliferous sediments from the North Fiji Basin (McMurtry, Gary M., et al.) 98(2-4): 271-295

Hydrothermal metallogenic processes off the islands of Nisiros and Kos in the Hellenic volcanic arc

99(1-2): 109-133 (Varnavas, S. P., et al.)

nodules: The relationship between manganese minerals and metallic elements in deep-sea manganese nodules (Yoshikawa, Kazuo) 101(1-4): 267-286

metamorphic rocks see also igneous rocks

metasomatic rocks see also igneous rocks

methods see under chemical analysis; marine geology

Mexico see also Gulf Coastal Plain

Middle East see also Cyprus; Turkey

mineral deposits, genesis-gold ores

interpretation: Comparative mineralogy and geochemistry of gold-bearing sulfide deposits on the mid-ocean ridges (Hannington, Mark, et al.) 101(1-4): 217-248

mineral deposits, genesis-metal ores

exhalative processes: Terrigenous dilution; using a method for quantifying hydrothermal input in the sedimentary environment (Jebrak, Michel, et al.) 98(1): 17-24

mineral deposits, genesis-processes

hydrothermal processes: Hydrothermal metallogenic processes off the islands of Nisiros and Kos in the Hellenic volcanic

99(1-2): 109-133 (Varnavas, S. P., et al.) The geology, geophysics and mineral resources of the South Pacific

(Crook, Keith A. W.) 98(2-4): 155-470

mineral resources see also the individual deposits; see also under economic geology under Pacific Ocean

minerals-miscellaneous minerals

manganese minerals: The relationship between manganese minerals and metallic elements in deep-sea manganese nodules (Yoshikawa, Kazuo) 101(1-4): 267-286

minerals—oxides

occurrence: Mn-Fe oxyhydroxide crusts from Krylov Seamount (eastern Atlantic); mineralogy, geochemistry and (Varentsov, I. M., et al.) 96(1-2): 53-70

Miocene see also under stratigraphy under France

miospores see under palynomorphs

mollusks-paleoecology

Holocene: Molluscan faunas and paleobathymetry of Holocene sequences in the northeastern Nile Delta, Egypt (Bernasconi, Maria Pia, et al.) 99(1-2): 29-43 556 Mozambique-geomorphology shore features: Beachrock formation in low latitudes; implications for coastal evolutionary models (Cooper, J. Andrew G.) 98(1): 145-154 mud volcanoes see also volcanology nannofossils see under algal flora neotectonics see also changes of level; see also under structural geology under Cyprus; Greece; Mediterranean region; Solomon Islands; Turkey nickel-geochemistry nodules: Manganese nodules in the EEZ's of island countries in the southwestern Equatorial Pacific (Cronan, D. S., et al.) 98(2-4): 425-435 nodules-ferromanganese composition genesis: Biogenic influence on the growth of ferromanganese micronodules in the Central Indian Basin (Banerjee, R., et al.) 97(3-4): 413-421 nodules-manganese composition age: Continuous surface dwelling of manganese nodules on a hill on the Madeira abyssal plain during abrupt sedimentation changes (Ebbing, J. H. J., et al.) 98(1): 73-82 distribution: Manganese nodules in the EEZ's of island countries in the southwestern Equatorial Pacific (Cronan, D. S., et al.) 98(2-4): 425-435 genesis: Characteristics of manganese nodules from the central Indian Basin; relationship with the sedimentary environment (Martin-Barajas, A., et al.)

(Martin-Barajas, A., et al.) 101(1-4): 249-265

— The formation of manganese nodules between the Clarion and Clipperton fracture zones southeast of Hawaii (von Stackelberg, Ulrich, et al.) 98(2-4): 411-423 geochemistry: The relationship between manganese minerals and metallic elements in deep-sea manganese nodules (Yoshikawa, Kazuo) 101(1-4): 267-286

North America see also Atlantic Coastal Plain; Great Lakes;

Gulf Coastal Plain

North Carolina—geomorphology

processes: Fluvial sediment delivery to a coastal plain estuary

in the Atlantic drainage of the United States
(Phillips, Jonathan D.) 98(1): 121-134

North Carolina—oceanography
sedimentation: Modes of cross-shore sediment transport on
the shoreface of the Middle Atlantic Bight
(Wright, L. D., et al.)
96(1-2): 19-51

North Sea—oceanography
sedimentation: Coccolith sedimentation and transport in the
North Sea
(Houghton, Simon D.) 99(1-2): 267-274

The origin of major incisions within the Pleistocene deposits of the North Sea [with discussions and reply] (Hamblin, R. J. O., et al.)

96(1-2): 123-129

North Sea—stratigraphy

Pleistocene: Plio-Pleistocene foraminiferal stratigraphy and correlation in the central North Sea (Knudsen, K. L., et al.) 101(1-4): 113-124

Pliocene: Plio-Pleistocene foraminiferal stratigraphy and correlation in the central North Sea (Knudsen, K. L., et al.) 101(1-4): 113-124

Quaternary: The Quaternary succession in the northern

North Sea (Sejrup, Hans Petter, et al.) 101(1-4): 103-111

Northern Hemisphere see also Arctic Ocean; Atlantic Ocean; Europe; Pacific Ocean

Norway—oceanography

continental margin: Cenozoic subsidence of the outer Voring Plateau

(Uenzelmann-Neben, Gabriele) 101(1-4): 1-9 continental shelf: Quaternary stratigraphy of the Draugen area, Mid-Norwegian Shelf (Haflidason, Haflidi, et al.) 101(1-4): 125-145

continental slope: Late Pleistocene sedimentation on the Norwegian continental slope between 67° and 71°N (Yoon, S. H., et al.) 99(1-2): 187-207

Norway-stratigraphy

Pleistocene: Late Pleistocene sedimentation on the Norwegian continental slope between 67° and 71°N (Yoon, S. H., et al.) 99(1-2): 187-207 Quaternary: Quaternary stratigraphy of the Draugen area, Mid-Norwegian Shelf

101(1-4): 125-145

Nova Scotia—geomorphology

shore features: Gravel-barrier migration and overstepping (Forbes, D. L., et al.) 97(3-4): 305-313

Nova Scotia—geophysical surveys

(Haflidason, Haflidi, et al.)

acoustical surveys: Acoustic measurements of suspended sand on the shoreface and the control of concentration by bed roughness (Vincent, Christopher E., et al.) 96(1-2): 1-18

Nova Scotia-oceanography

sedimentation: Deep ocean sediment transport (Nowell, A. R. M.) 99(3-4): 275-460

ocean circulation see also under oceanography under Atlantic Ocean; Pacific Ocean

ocean circulation-boundary layer

numerical models: A model-dependent method for inverting vertical profiles of scattering to obtain particle size spectra in boundary layers

(Lynch, James F., et al.) 99(3-4): 387-401

— On the interaction of the bottom boundary layer and deep rings

(Peggion, Germanna, et al.) 99(3-4): 329-341 turbulence: HEBBLE epilogue

(Hollister, C. D., et al.) 99(3-4): 445-460

ocean floors see also under oceanography under Antarctic Ocean; Arctic Ocean; Atlantic Ocean; Gulf of Mexico; Japan Sea; Mediterranean Sea; Pacific Ocean

oceanography—theoretical studies

ocean circulation: A model-dependent method for inverting vertical profiles of scattering to obtain particle size spectra in boundary layers (Lynch, James F., et al.) 99(3-4): 387-401

(Lynch, James F., et al.) 99(3-4): 387-401

On the interaction of the bottom boundary layer and deep rings (Peggion, Germanna, et al.) 99(3-4): 329-341

oil and gas fields see also under economic geology under India

Ontario-geomorphology

shore features: Equilibrium slopes and cross-shore velocity asymmetries in a storm-dominated, barred nearshore system (Greenwood, Brian, et al.) 96(3-4): 211-235

organic materials—analysis

petrography: Analysis of sedimentary organic matter of a glacial/interglacial change (oxygen isotope stage 6/5) in the Norwegian-Greenland Sea (Botz, R., et al.) 98(1): 113-119

organic materials-distribution

sapropel: Anoxic basins and sapropel deposition in the eastern Mediterranean; past and present

(Cita, Maria Blanca, et al.) 100(1-4): 1-182

— Introduction; anoxic basins and sapropel deposition in the eastern Mediterranean; past and present (Cita, Maria Bianca, et al.) 100(1-4): 1-4

Origin and differentiation of clay minerals in pelagic sediments and sapropels of the Bannock Basin (eastern Mediterranean)

(Tomadin, Luciano, et al.) 100(1-4): 35-43

— The occurrence and significance of Pleistocene and upper Pliocene sapropels in the Tyrrhenian Sea

(Emeis, Kay-Christian, et al.) 100(1-4): 155-182

organic materials—geochemistry

sapropel: Possible diagenetic mobilization of barium in sapropelic sediment from the eastern Mediterranean (van Os, Bertil J. H., et al.) 100(1-4): 125-136

organic materials—hydrocarbons gas hydrates: Observations of gas hydrates in marine sediments, offshore Northern California

(Brooks, James M., et al.) 96(1-2): 103-109

oxides see under minerals oxygen—isotopes

O-18/O-16: Carbon and oxygen isotope composition of foraminifera in two cores from the Bannock Basin area, eastern Mediterranean (Olausson, Eric) 100(1-4): 45-51

 Interaction between hemipelagic sediment and a hydrothermal system; Middle Valley, northern Juan de Fuca Ridge, subarctic Northeast Pacific

(Al-Asm, Ihsan S., et al.) 98(1): 25-40

Isotope paleontology; growth and composition of extant

calcareous species (Wefer, Gerold, et al.) 100(1-4): 207-248

Weter, Geroid, et al.) 100(1-4): 207-248
 Pleistocene δ<sup>18</sup>O records from Ontong-Java Plateau; effects of winnowing and dissolution

(Wu, Guoping, et al.) 96(3-4): 193-209

— Stable isotopic and carbonate cyclicity in Lower Cretaceous deep-sea sediments; dominance of diagenetic effects
(Thierstein, Hans R., et al.) 97(1-2): 1-34

Pacific Coast see also the individual states and provinces

Pacific Ocean see also Japan Sea; Philippine Sea; Yellow Sea

Pacific Ocean—economic geology

mineral resources: Dynamic strike-slip fault systems with respect to the Solomon Islands, and their effect on mineral potential

(Coleman, Patrick J.) 98(2-4): 167-176

Pacific Ocean—geochemistry

cobalt: Regional and depth variability in the composition of cobalt-rich ferromanganese crusts from the SOPAC area and adjacent parts of the central Equatorial Pacific

(Hodkinson, R. A., et al.) 98(2-4): 437-447 isotopes: Stable isotopic and carbonate cyclicity in Lower Cretaceous deep-sea sediments; dominance of diagenetic effects

(Thierstein, Hans R., et al.) 97(1-2): 1-34

trace elements: Accumulation rates, chemical partitioning, and Q-mode factor analysis of metalliferous sediments from the North Fiji Basin (McMurtry, Gary M., et al.) 98(2-4): 271-295

Comparative mineralogy and geochemistry of gold-bearing sulfide deposits on the mid-ocean ridges
 (Hannington, Mark, et al.)
 101(1-4): 217-248

 Geochemistry and geochronology of a hydrothermal ferromanganese deposit from the North Fiji Basin
 (Murphy, Edward, et al.)
 98(2-4): 297-312

 Paleoceanographic implications of rare earth element variability within a Fe-Mn crust from the central Pacific Ocean

(de Carlo, Eric H.) 98(2-4): 449-467

Pacific Ocean—geophysical surveys

acoustical surveys: Temporal evolution of overlapping spreading centers at 16°20'N on the East Pacific Rise (Sloan, H.) 97(3-4): 315-324

seismic surveys: A field of volcanoes on the Manihiki Plateau; mud or lava?

(Coulbourn, William T., et al.) 98(2-4): 367-388

— Geological structure of the central spreading system,
North Fiji Basin

(Tanahashi, Manabu, *et al.*) 98(2-4): 187-200

- Petroleum geology of Fiji

(Johnson, Howard) 98(2-4): 313-352

Potential Mio-Pliocene reef traps in the Iron Bottom Basin, Solomon Islands
(Johnson, Howard, et al.) 98(2-4): 177-186

Pacific Ocean-oceanography

marine geology: A decade of growth in the South Pacific marine geoscience data base
(Crook, Keith A. W., et al.) 98(2-4): 155-165

(Crook, Keith A. W., et al.) 98(2-4): 155-165

— The geology, geophysics and mineral resources of the South Pacific

(Crook, Keith A. W.) 98(2-4): 155-470 nodules: Manganese nodules in the EEZ's of island countries in the southwestern Equatorial Pacific

(Cronan, D. S., et al.) 98(2-4): 425-435

 The formation of manganese nodules between the Clarion and Clipperton fracture zones southeast of Hawaii (von Stackelberg, Ulrich, et al.)
 98(2-4): 411-423

 The relationship between manganese minerals and metallic elements in deep-sea manganese nodules (Yoshikawa, Kazuo) 101(1-4): 267-286

ocean circulation: Peruvian coastal upwelling; late Quaternary productivity changes revealed by diatoms (Schrader, Hans, et al.) 97(3-4): 233-249

ocean floors: A field of volcanoes on the Manihiki Plateau; mud or lava?

(Coulbourn, William T., et al.) 98(2-4): 367-388

— Geological structure of the central spreading system,

North Fiji Basin (Tanahashi, Manabu, et al.) 98(2-4): 187-200

Hydrothermal iron-rich deposits from the Teahitia-Mehitia and Macdonald hot spot areas, Southwest Pacific (Puteanus, D., et al.)
 98(2-4): 389-409

In situ geological and geochemical study of an active hydrothermal site on the North Fiji Basin ridge
(Auzende, Jean-Marie, et al.) 98(2-4): 259-269

(Sloan, H.)

- Temporal evolution of overlapping spreading centers at

sedimentation: Clay mineralogy and chemistry as indicators

97(3-4): 315-324

16°20'N on the East Pacific Rise

of hemipelagic sediment dispersal south of the Aleutian variations in volcanic and sedimentary facies in Iceland (Eiriksson, Jon, et al.) 101(1-4): 147-159 - History of terrigenous sedimentation during the past 10 97(1-2): 145-166 (Hathon, Eric G., et al.) - The influences of suspended load on the sedimentation in m.y. in the North Atlantic (ODP legs 104 and 105 and DSDP Leg 81) the coastal zones and continental shelves of China (Wolf, Thomas C. W., et al.) 101(1-4): 83-102 (Li Congxian, et al.) 96(3-4): 341-352 sediments: Surface and near-surface sediments from the con-- Sedimentation and climate-induced sediments on Feni Ridge, Northeast Atlantic Ocean tinental shelf off the Russian River, Northern California (van Weering, T. C. E., et al.) 101(1-4): 49-69 (Demirpolat, Suleyman) 99(1-2): 163-173 The vertical change in clay mineral composition and Mediterranean region: The occurrence and significance of chemical characteristics of smectite in sediment cores from Pleistocene and upper Pliocene sapropels in the the southern part of the central Pacific Basin Tyrrhenian Sea (Aoki, Saburo, et al.) 98(1): 41-49 (Emeis, Kay-Christian, et al.) 100(1-4): 155-182 Pacific Ocean-stratigraphy paleoclimatology-Pleistocene biogeography: Monsoonal and fertility controls on Recent Pacific Ocean: Glacial deep-water properties in the westmarginal sea and continental shelf coccolith assemblages equatorial Pacific; bathyal thermocline near a depth of from the western Pacific and northern Indian oceans 2000 m (Houghton, Simon D., et al.) 97(3-4): 251-259 100(1-4): 201-206 (Herguera, J. C., et al.) Pleistocene δ18O records from Ontong-Java Plateau; ef-Pleistocene: Glacial deep-water properties in the westequatorial Pacific; bathyal thermocline near a depth of fects of winnowing and dissolution 96(3-4): 193-209 (Wu, Guoping, et al.) 2000 m (Herguera, J. C., et al.) 100(1-4): 201-206 paleoclimatology-Quaternary - Late Pleistocene carbonate stratigraphy on Ontong-Java Mediterranean Sea: Eastern Mediterranean palaeoclimates Plateau in the western Equatorial Pacific from 26 to 5 ka B.P. documented by pollen and isotopic (Wu, Guoping, et al.) 99(1-2): 135-150 analysis of a core in the anoxic Bannock Basin Pleistocene δ18O records from Ontong-Java Plateau; ef-(Cheddadi, Rachid, et al.) 100(1-4): 53-66 fects of winnowing and dissolution paleoclimatology-Tertiary (Wu, Guoping, et al.) 96(3-4): 193-209 Antarctic Ocean: Eocene/Oligocene paleoceanography in the Pacific Ocean—tectonophysics Antarctic Ocean, Atlantic sector (Maud Rise, ODP Leg plate tectonics: Dynamic strike-slip fault systems with respect 113, Site 689B and 690B) to the Solomon Islands, and their effect on mineral poten-(Diester-Haass, Liselotte) 100(1-4): 249-276 paleoecology-algal flora (Coleman, Patrick J.) 98(2-4): 167-176 Quaternary: Peruvian coastal upwelling; late Quaternary prosea-floor spreading: Geochemistry of Recent hydrothermal ductivity changes revealed by diatoms sediments in relation to tectonic environment in the Lau (Schrader, Hans, et al.) 97(3-4): 233-249 Basin, Southwest Pacific paleoecology-Holocene (Hodkinson, R. A., et al.) 98(2-4): 353-366 Turkey: Holocene raised shorelines on the Hatay coasts Geological structure of the central spreading system, (Turkey); palaeoecological and tectonic implications North Fiji Basin 96(3-4): 295-311 (Pirazzoli, P. A., et al.) (Tanahashi, Manabu, et al.) 98(2-4): 187-200 paleoecology-indicators - In situ geological and geochemical study of an active hymarine environment: Isotope paleontology; growth and comdrothermal site on the North Fiji Basin ridge position of extant calcareous species (Auzende, Jean-Marie, et al.) 98(2-4): 259-269 (Wefer, Gerold, et al.) 100(1-4): 207-248 - Interaction between hemipelagic sediment and a hydropaleoecology-mollusks thermal system; Middle Valley, northern Juan de Fuca Holocene: Molluscan faunas and paleobathymetry of Holo-Ridge, subarctic Northeast Pacific cene sequences in the northeastern Nile Delta, Egypt (Al-Aasm, Ihsan S., et al.) 98(1): 25-40 (Bernasconi, Maria Pia, et al.) 99(1-2): 29-43 - Petrology and geochemistry of the central North Fiji Bapaleogeography-Miocene sin spreading centre (Southwest Pacific) between 16°S and Mediterranean region: The Messinian event on the margin of the Mediterranean Sea in the Nice area, southern France (Eissen, Jean-Philippe, et al.) 98(2-4): 201-239 (Savoye, Bruno, et al.) 97(3-4): 279-304 - Tectonics and magma genesis in the northern North Fiji paleogeography—Quaternary Basin Egypt: Late Quaternary evolution of the Burullus Lagoon (Price, R. C., et al.) 98(2-4): 241-258 - Temporal evolution of overlapping spreading centers at region, north-central Nile Delta, Egypt 99(1-2): 45-66 16°20'N on the East Pacific Rise (Arbouille, Didier, et al.) (Sloan, H.) 97(3-4): 315-324 paleomagnetism see under geochronology

Pacific region see also the individual countries

Atlantic Ocean: A record of Pliocene and Pleistocene glacia-

tions and climatic changes in the North Atlantic based on

paleoclimatology-Cenozoic

paleomagnetism—Cenozoic

Iceland: A record of Pliocene and Pleistocene glaciations and climatic changes in the North Atlantic based on variations in volcanic and sedimentary facies in Iceland (Eiriksson, Jon, et al.) 101(1-4): 147-159

paleozoogeography see biogeography

palynomorphs-miospores

Quaternary: Eastern Mediterranean palaeoclimates from 26 to 5 ka B.P. documented by pollen and isotopic analysis of a core in the anoxic Bannock Basin (Cheddadi, Rachid, et al.) 100(1-4): 53-66

Persian Gulf-oceanography

sedimentation: Mineralogy and provenance of the clastic deposits of the modern intertidal environment of the northern Arabian Gulf (Al-Bakri, Dhia, et al.) 97(1-2): 121-135

Peru-stratigraphy

Quaternary: Peruvian coastal upwelling; late Quaternary productivity changes revealed by diatoms

(Schrader, Hans, et al.) 97(3-4): 233-249

petroleum see also under economic geology under Fiji; Solomon

Islands

Phanerozoic see also Cretaceous

Philippine Sea-tectonophysics

plate tectonics: Evolution of the Philippine and Japan seas from the clastic sediment record (Nechaev, Victor P.) 97(1-2): 167-190

physical geography see geomorphology

Pisces see also fish

Plantae see also algal flora; palynomorphs

plate tectonics see also under tectonophysics under Caribbean region; Indian Ocean; Japan Sea; Mediterranean Sea; Pacific Ocean; Philippine Sea

Pleistocene see also under geochronology under Indian Ocean; see also under stratigraphy under Iceland; North Sea; Norway; Pacific Ocean; South Africa

Pliocene see also under stratigraphy under Iceland; North Sea polarography see under methods under chemical analysis

Puerto Rico-geophysical surveys

acoustical surveys: A giant submarine slope failure on the northern insular slope of Puerto Rico (Schwab, W. C., et al.) 96(3-4): 237-246

Pyrenees see also France; Spain

Quaternary see also under geochronology under Egypt; see also under stratigraphy under Arabian Sea; Atlantic Ocean; Barbados; Greece; Mediterranean Sea; North Sea; Norway; Peru

Quebec-economic geology

metal ores: Terrigenous dilution; using a method for quantifying hydrothermal input in the sedimentary environment (Jebrak, Michel, et al.) 98(1): 17-24

radioactive dating see absolute age

radiocarbon dating see absolute age

radiolarians-biostratigraphy

Cenozoic: Abyssal sediment erosion in the central Indian Basin; evidence from radiochemical and radiolarian studies (Banakar, V. K., et al.) 96(1-2): 167-173

rare earths-geochemistry

basalts: Petrology and geochemistry of the central North Fiji Basin spreading centre (Southwest Pacific) between 16°S and 22°S

(Eissen, Jean-Philippe, et al.)

98(2-4): 201-239

chemically precipitated rocks: Paleoceanographic implications of rare earth element variability within a Fe-Mn crust from the central Pacific Ocean

(de Carlo, Eric H.)

98(2-4): 449-467

marine sediments: Geochemistry and geochronology of a hydrothermal ferromanganese deposit from the North Fiji Basin

(Murphy, Edward, et al.)

98(2-4): 297-312

oxides: Rare earth element indicators of Mn-Fe oxyhydroxide crust formation on Krylov Seamount, eastern Atlantic (Varentsov, I. M., et al.) 96(1-2): 71-84

Red Sea-oceanography

sedimentation: Terrigenous dilution; using a method for quantifying hydrothermal input in the sedimentary environment

(Jehrak Michel et al.) 98(1): 17-24

(Jebrak, Michel, et al.) 98(1): 17-24
sediments: Unconsolidated reefal sediments in the Jubal
Strait region, Red Sea, Egypt
(Moussa, A. A., et al.) 97(3-4): 379-390

Red Sea region-sedimentary petrology

sediments: Evaporitic sediment distributions in Al-Kharrar sabkha, West Red Sea coast of Saudi Arabia, as revealed from electrical soundings
(El Abd, Y. I., et al.) 97(1-2): 137-143

reefs see also under oceanography under data processing; Egypt; Indian Ocean Islands; Solomon Islands

reefs-evolution

three-dimensional models: Three-dimensional representation of coral reefs; generation of submarine terrain images on personal computers (Isdale, Peter) 96(1-2): 145-150

regional geology see areal geology under the appropriate area term

remote sensing see also geophysical methods; see also under geophysical surveys under Cayman Islands; Egypt

rock mechanics see also soil mechanics

Rocky Mountains see also the individual states and provinces Sahara see also the individual countries

Saudi Arabia—geophysical surveys

electrical surveys: Evaporitic sediment distributions in Al-Kharrar sabkha, West Red Sea coast of Saudi Arabia, as revealed from electrical soundings (El Abd, Y. I., et al.) 97(1-2): 137-143

Scotland-oceanography

continental margin: Glacially influenced basin plain sedimentation in the southern Faeroe-Shetland Channel, Northwest United Kingdom continental margin (Stoker, M. S., et al.) 100(1-4): 185-199

sea-floor spreading see also under tectonophysics under Pacific Ocean

sea-level fluctuations see changes of level

Sea of Japan see Japan Sea

sea water-geochemistry

halmyrolysis: Chemical alteration of seawater by lava from Kilauea Volcano, Hawaii (Sedwick, P. N., et al.) 96(1-2): 151-158

hydrothermal conditions: In situ geological and geochemical study of an active hydrothermal site on the North Fiji Basin ridge

(Auzende, Jean-Marie, et al.)

98(2-4): 259-269

saturation: Surface sediment carbonate mineralogy and water column chemistry; Nicaragua Rise versus the Bahamas (Droxler, Andre, et al.) 100(1-4): 277-289

sedimentary rocks see also sedimentary structures; sedimentation: sediments

sedimentary rocks—carbonate rocks

beachrock: Beachrock formation in low latitudes; implications for coastal evolutionary models 98(1): 145-154 (Cooper, J. Andrew G.)

sedimentary rocks-chemically precipitated rocks

composition: Regional and depth variability in the composition of cobalt-rich ferromanganese crusts from the SOPAC area and adjacent parts of the central Equatorial Pacific (Hodkinson, R. A., et al.) 98(2-4): 437-447

evaporites: Evaporitic sediment distributions in Al-Kharrar sabkha, West Red Sea coast of Saudi Arabia, as revealed from electrical soundings

(El Abd, Y. I., et al.)

97(1-2): 137-143 ferromanganese composition: Mn-Fe oxyhydroxide crusts from Krylov Seamount (eastern Atlantic); mineralogy, geochemistry and genesis (Varentsov, I. M., et al.) 96(1-2): 53-70

- Paleoceanographic implications of rare earth element variability within a Fe-Mn crust from the central Pacific Ocean (de Carlo, Eric H.) 98(2-4): 449-467

- Rare earth element indicators of Mn-Fe oxyhydroxide crust formation on Krylov Seamount, eastern Atlantic

(Varentsov, I. M., et al.) ferruginous composition: Hydrothermal iron-rich deposits from the Teahitia-Mehitia and Macdonald hot spot areas,

Southwest Pacific (Puteanus, D., et al.) 98(2-4): 389-409

sedimentary rocks—clastic rocks

lithofacies: A record of Pliocene and Pleistocene glaciations and climatic changes in the North Atlantic based on variations in volcanic and sedimentary facies in Iceland (Eiriksson, Jon, et al.) 101(1-4): 147-159

turbidite: Can a continuous current of water generate turbidites? Results of analog experiments

(Duringer, Philipp, et al.) 99(1-2): 231-246

sedimentary structures see also sedimentary rocks; sediments sedimentary structures-environmental analysis

coastal environment: Shoreline deposits and diagenesis resulting from two late Pleistocene highstand near +5 and +6 metres, Durban, South Africa (Cooper, J. Andrew G., et al.) 97(3-4): 325-343

- The Corrubedo beach-lagoon complex, Galicia, Spain; dynamics, sediments and Recent evolution of a mesotidal coastal embayment 97(3-4): 391-404

(Vilas, Federico E., et al.) sedimentation-controls

tectonic controls: Evolution of the Cenozoic sedimentary wedge during rifting and seafloor spreading west of the Stappen High, western Barents Sea

(Richardsen, G., et al.) 101(1-4): 11-30 - Facies analysis of Pleistocene sediments from the Bannock Basin area; a key to the reconstruction of its tectonic evolution

(Nolli, Vilia, et al.) 100(1-4): 5-20 - Quaternary deposits on the South Barbados accretionary

(Faugeres, J. C., et al.) 96(3-4): 247-267

sedimentation-cyclic processes

bioclastic sedimentation: Late Pleistocene carbonate stratigraphy on Ontong-Java Plateau in the western Equatorial Pacific

99(1-2): 135-150 (Wu, Guoping, et al.)

glaciomarine sedimentation: Sedimentary facies of glacial-interglacial cycles in the Norwegian Sea during the last 350 ka [discussion and reply]

(Thomson, John, et al.) 96(1-2): 131-136 nearshore sedimentation: Onlap, offlap, and the origin of unconformity-bounded depositional sequences

97(1-2): 35-56

(Christie-Blick, Nicholas) sedimentation-environment

anaerobic environment: Anoxic basins and sapropel deposition in the eastern Mediterranean; past and present (Cita, Maria Blanca, et al.) 100(1-4): 1-182

- Deep mid-water bacterial mats from anoxic basins of the eastern Mediterranean

(Erba, Elisabetta) 100(1-4): 83-101 - Introduction; anoxic basins and sapropel deposition in the

eastern Mediterranean; past and present (Cita, Maria Bianca, et al.) 100(1-4): 1-4

The occurrence and significance of Pleistocene and upper Pliocene sapropels in the Tyrrhenian Sea

(Emeis, Kay-Christian, et al.) 100(1-4): 155-182 coastal environment: Shoreline deposits and diagenesis resulting from two late Pleistocene highstand near +5 and +6 metres, Durban, South Africa

(Cooper, J. Andrew G., et al.) 97(3-4): 325-343 deep-sea environment: Characteristics of manganese nodules

from the central Indian Basin; relationship with the sedimentary environment

(Martin-Barajas, A., et al.) 101(1-4): 249-265 Origin and differentiation of clay minerals in pelagic sediments and sapropels of the Bannock Basin (eastern Medi-

terranean) (Tomadin, Luciano, et al.) 100(1-4): 35-43 deltaic environment: Molluscan faunas and paleobathymetry

of Holocene sequences in the northeastern Nile Delta, (Bernasconi, Maria Pia, et al.) 99(1-2): 29-43

glaciomarine environment: Analysis of sedimentary organic matter of a glacial/interglacial change (oxygen isotope stage 6/5) in the Norwegian-Greenland Sea (Botz, R., et al.) 98(1): 113-119

Geochemical characteristics of western Ross Sea (Antarctica) sediments

(Hieke Merlin, O., et al.) 99(1-2): 209-229 lagoonal environment: Application of image analysis for delineating modern carbonate facies changes through time;

Grand Cayman, western Caribbean Sea (Tongpenyai, Boonrasri, et al.) 96(1-2): 85-101 storm environment: Suspended sediment storm modeling

(Gross, Thomas Floyd, et al.) 99(3-4): 343-360

sedimentation-processes

bioclastic sedimentation: Coccolith sedimentation and transport in the North Sea (Houghton, Simon D.) 99(1-2): 267-274 - Eocene/Oligocene paleoceanography in the Antarctic Ocean, Atlantic sector (Maud Rise, ODP Leg 113, Site 689B and 690B) (Diester-Haass, Liselotte) 100(1-4): 249-276 - Hurricane-induced carbonate enrichment of a Holocene coastal bay sequence, Sarasota Bay, Florida (Knowles, Stephen C., et al.) 99(1-2): 151-161 chemical sedimentation: Hydrothermal iron-rich deposits from the Teahitia-Mehitia and Macdonald hot spot areas, Southwest Pacific (Puteanus, D., et al.) 98(2-4): 389-409 - Regional and depth variability in the composition of cobalt-rich ferromanganese crusts from the SOPAC area and adjacent parts of the central Equatorial Pacific (Hodkinson, R. A., et al.) 98(2-4): 437-447 coastal sedimentation: The Corrubedo beach-lagoon complex, Galicia, Spain; dynamics, sediments and Recent evolution of a mesotidal coastal embayment (Vilas, Federico E., et al.) 97(3-4): 391-404 - The influences of suspended load on the sedimentation in the coastal zones and continental shelves of China (Li Congxian, et al.) 96(3-4): 341-352 deep-sea sedimentation: A model-dependent method for inverting vertical profiles of scattering to obtain particle size spectra in boundary layers (Lynch, James F., et al.) 99(3-4): 387-401 - Abyssal sediment erosion in the central Indian Basin; evidence from radiochemical and radiolarian studies (Banakar, V. K., et al.) 96(1-2): 167-173 Characterization of deep-sea storms (Gross, Thomas Floyd, et al.) Deep ocean sediment transport (Nowell, A. R. M.) the West Florida margin (Gardulski, Anne F., et al.) HEBBLE epilogue (Hollister, C. D., et al.)

99(3-4): 281-301 99(3-4): 275-460 - Evolution of a deep-water carbonate platform; Upper (Isla, F. I., et al.) Cretaceous to Pleistocene sedimentary environments on 101(1-4): 163-179 (Al-Bakri, Dhia, et al.) 99(3-4): 445-460 - In-situ measurements of particle settling velocity in the deep sea (McCave, I. N., et al.) 99(3-4): 403-411 (Park, S. C., et al.) - Prologue; abyssal storms as a global geologic process (Hollister, C. D., et al.) 99(3-4): 275-280 - Sediment concentration profiling in HEBBLE using a 1-MHz acoustic backscatter system (Lynch, James F., et al.) 99(3-4): 361-385 - Small-scale spatial structure and long-term variability of near-bottom layers in the HEBBLE area (Ezer, Tal, et al.) 99(3-4): 319-328 shore system - The fauna of the HEBBLE site; patterns in standing stock and sediment-dynamic effects (Thistle, David, et al.) 99(3-4): 413-422 - The relationship of low-frequency deep variability near the HEBBLE site to Gulf Stream fluctuations sedimentation-provenance (Welsh, Elizabeth B., et al.) 99(3-4): 303-317 deltaic sedimentation: Late Quaternary evolution of the Gulf

97(1-2): 191-209

of Patras, Greece; tectonism, deltaic sedimentation and

sea-level change

(Chronis, George, et al.)

detrital sedimentation: Sedimentary history and chemical characteristics of clay minerals in cores from the distal part of the Bengal Fan (ODP 116) (Aoki, Saburo, et al.) 99(1-2): 175-185 - Surface and near-surface sediments from the continental shelf off the Russian River, Northern California (Demirpolat, Suleyman) 99(1-2): 163-173 estuarine sedimentation: Fluvial sediment delivery to a coastal plain estuary in the Atlantic drainage of the United States (Phillips, Jonathan D.) 98(1): 121-134 - Grain-size relationship between suspended matter originating in the Gironde Estuary and shelf mud-patch depos-(Weber, O., et al.) 96(1-2): 159-165 Tidal resuspension of sediments in northern Chesapeake (Sanford, Lawrence P., et al.) 97(1-2): 87-103 glaciomarine sedimentation: Glacially influenced basin plain sedimentation in the southern Faeroe-Shetland Channel, Northwest United Kingdom continental margin (Stoker, M. S., et al.) 100(1-4): 185-199 - Late Pleistocene sedimentation on the Norwegian continental slope between 67° and 71°N (Yoon, S. H., et al.) 99(1-2): 187-207 Quaternary stratigraphy of the Draugen area, Mid-Norwegian Shelf (Haflidason, Haflidi, et al.) 101(1-4): 125-145 The origin of major incisions within the Pleistocene deposits of the North Sea [with discussions and reply] (Hamblin, R. J. O., et al.) 96(1-2): 123-129

The Quaternary succession in the northern North Sea (Sejrup, Hans Petter, et al.) 101(1-4): 103-111 intertidal sedimentation: Gravel drift and wind effects on the macrotidal San Sebastian Bay, Tierra del Fuego, Argentina 97(1-2): 211-224

- Mineralogy and provenance of the clastic deposits of the modern intertidal environment of the northern Arabian

97(1-2): 121-135 - Shallow seismic stratigraphy and distribution pattern of late Quaternary sediments in a macrotidal bay; Gunhung Bay, west coast of Korea

98(1): 135-144 marine sedimentation: Composition and origin of sediments on the mid-oceanic Kolbeinsey Ridge, north of Iceland (Lackschewitz, K. S., et al.) 101(1-4): 71-82

- Early Cenozoic sedimentation in the Hammerfest Basin (Knutsen, Stig-Morten, et al.) 101(1-4): 31-48 nearshore sedimentation: Equilibrium slopes and cross-shore

velocity asymmetries in a storm-dominated, barred near-96(3-4): 211-235 (Greenwood, Brian, et al.)

Origin, evolution, and distribution of shoreface sand ridges, Atlantic inner shelf, U.S.A. 97(1-2): 57-85 (McBride, Randolph A., et al.)

clastic sediments: Unconsolidated reefal sediments in the Jubal Strait region, Red Sea, Egypt (Moussa, A. A., et al.) 97(3-4): 379-390

marine sediments: Clay mineralogy and chemistry as indicators of hemipelagic sediment dispersal south of the Aleutian Arc

(Hathon, Eric G., et al.)

sedimentation-sedimentation rates

(McMurtry, Gary M., et al.)

ments from the North Fiji Basin

deep-sea sedimentation: Accumulation rates, chemical parti-

tioning, and O-mode factor analysis of metalliferous sedi-

Continuous surface dwelling of manganese nodules on a

hill on the Madeira abyssal plain during abrupt sedimentanorthern Arabian Gulf tion changes (Al-Bakri, Dhia, et al.) 97(1-2): 121-135 (Ebbing, J. H. J., et al.) 98(1): 73-82 quartz sand: Geologic evidence of net onshore sand transport Rates of particle scavenging, sediment reworking, and throughout the Holocene marine transgression, Southwest longitudinal ripple formation at the HEBBLE site based on measurements of 234Th and 210Pb (Parkinson, Randall W.) 96(3-4): 269-277 (DeMaster, David J., et al.) 99(3-4): 423-444 textures: Unconsolidated reefal sediments in the Jubal Strait - The formation of manganese nodules between the Clarion region, Red Sea, Egypt and Clipperton fracture zones southeast of Hawaii (Moussa, A. A., et al.) 97(3-4): 379-390 (von Stackelberg, Ulrich, et al.) 98(2-4): 411-423 turbidite: Can a continuous current of water generate turbiglaciomarine sedimentation: History of terrigenous sedimentadites? Results of analog experiments tion during the past 10 m.y. in the North Atlantic (ODP (Duringer, Philipp, et al.) 99(1-2): 231-246 legs 104 and 105 and DSDP Leg 81) sediments-environmental analysis (Wolf, Thomas C. W., et al.) 101(1-4): 83-102 coastal environment: The Corrubedo beach-lagoon complex, - Sedimentation and climate-induced sediments on Feni Galicia, Spain; dynamics, sediments and Recent evolution Ridge, Northeast Atlantic Ocean of a mesotidal coastal embayment (van Weering, T. C. E., et al.) 101(1-4): 49-69 (Vilas, Federico E., et al.) 97(3-4): 391-404 marine sedimentation: Clay-mineral accumulation rates in the sebkha environment: Evaporitic sediment distributions in Al-Arabian Sea during the late Quaternary Kharrar sabkha, West Red Sea coast of Saudi Arabia, as 97(1-2): 105-119 (Sirocko, Frank, et al.) - Marine geology of the Gulf of Trieste (northern Adriatic); revealed from electrical soundings (El Abd, Y. I., et al.) 97(1-2): 137-143 sedimentological aspects (Ogorelec, B., et al.) 99(1-2): 79-92 sediments-lithofacies - Pleistocene δ18O records from Ontong-Java Plateau; efdiagenesis: Shoreline deposits and diagenesis resulting from fects of winnowing and dissolution two late Pleistocene highstand near +5 and +6 metres, (Wu, Guoping, et al.) 96(3-4): 193-209 Durban, South Africa - Sediment accumulation in a modern epicontinental-shelf (Cooper, J. Andrew G., et al.) 97(3-4): 325-343 setting; the Yellow Sea environmental analysis: Late Quaternary evolution of the 98(1): 51-72 (Alexander, C. R., et al.) Burullus Lagoon region, north-central Nile Delta, Egypt Terrigenous dilution; using a method for quantifying hy-(Arbouille, Didier, et al.) 99(1-2): 45-66 drothermal input in the sedimentary environment sediments-marine sediments (Jebrak, Michel, et al.) 98(1): 17-24 chemical composition: Hydrothermal metallogenic processes sedimentation-transport off the islands of Nisiros and Kos in the Hellenic volcanic marine transport: Acoustic measurements of suspended sand on the shoreface and the control of concentration by bed (Varnavas, S. P., et al.) 99(1-2): 109-133 roughness clay mineralogy: Clay-mineral accumulation rates in the (Vincent, Christopher E., et al.) 96(1-2): 1-18 Arabian Sea during the late Quaternary - Distribution of surficial shelf sediments in the northeast-97(1-2): 105-119 (Sirocko, Frank, et al.) ern and southwestern parts of the Sea of Marmara; strait - Origin and differentiation of clay minerals in and canyon regimes of the Dardanelles and Bosporus pelagic sediments and sapropels of the Bannock Basin (Ergin, M., et al.) 96(3-4): 313-340 (eastern Mediterranean) - Geologic evidence of net onshore sand transport through-(Tomadin, Luciano, et al.) out the Holocene marine transgression, Southwest Florida - Sedimentary history and chemical characteristics of clay (Parkinson, Randall W.) 96(3-4): 269-277 minerals in cores from the distal part of the Bengal Fan - Modes of cross-shore sediment transport on the shoreface of the Middle Atlantic Bight (ODP 116) (Aoki, Saburo, et al.) 99(1-2): 175-185 (Wright, L. D., et al.) 96(1-2): 19-51 Sand transport in the Bristol Channel; bedload parting The vertical change in clay mineral composition and chemical characteristics of smectite in sediment cores from zone or mutually evasive transport pathways? (Harris, P. T., et al.) 101(1-4): 209-216 the southern part of the central Pacific Basin (Aoki, Saburo, et al.) 98(1): 41-49 - Sand transport in the Bristol Channel east of Bull Point and Worms Head; a bed-load parting model with some composition: Coccolith sedimentation and transport in the indications of mutually evasive sand transport paths North Sea 101(1-4): 203-207 (Stride, A. H., et al.) (Houghton, Simon D.) 99(1-2): 267-274

97(1-2): 145-166

98(2-4): 271-295

turbidity currents: Can a continuous current of water generate

sediments see also sedimentary rocks; sedimentary structures;

mineral composition: Mineralogy and provenance of the clas-

tic deposits of the modern intertidal environment of the

99(1-2): 231-246

turbidites? Results of analog experiments

(Duringer, Philipp, et al.)

sediments-clastic sediments

sedimentation

Composition and origin of sediments on the mid-oceanic Kolbeinsey Ridge, north of Iceland

(Lackschewitz, K. S. et al.) 101(1-4): 71-82

(Lackschewitz, K. S., et al.) 101(1-4): 71-82

— Evolution of the Philippine and Japan seas from the clastic sediment record

(Nechaev, Victor P.) 97(1-2): 167-190 diagenesis: Biogenic influence on the growth of ferroman-

ganese micronodules in the Central Indian Basin
(Banerjee, R., et al.) 97(3-4): 413-421

Determination of inorganic sulphur speciation with polarographic techniques; some preliminary results for Recent hypersaline anoxic sediments (Henneke, Else, et al.) 100(1-4): 115-123

- Hardground formation in the Bannock Basin, eastern Mediterranean

(Aghib, Fulvia S., et al.) 100(1-4): 103-113

— Interaction between hemipelagic sediment and a hydrothermal system; Middle Valley, northern Juan de Fuca Ridge, subarctic Northeast Pacific (Al-Aasm, Ihsan S., et al.) 98(1): 25-40

Possible diagenetic mobilization of barium in sapropelic sediment from the eastern Mediterranean (van Os, Bertil J. H., et al.)

100(1-4): 125-136

(van Os, Bertil J. H., et al.) 100(1-4): 125-136 distribution: Clay mineralogy and chemistry as indicators of hemipelagic sediment dispersal south of the Aleutian Arc (Hathon, Eric G., et al.) 97(1-2): 145-166

— Distribution of surficial shelf sediments in the northeastern and southwestern parts of the Sea of Marmara; strait and canyon regimes of the Dardanelles and Bosporus (Ergin, M., et al.)

96(3-4): 313-340

— Quaternary deposits on the South Barbados accretionary prism

(Faugeres, J. C., et al.) 96(3-4): 247-267

The Vesterisbanken Seamount (Greenland Basin); patterns of morphology and sediment distribution

(Hempel, P., et al.) 96(1-2): 175-185 environmental analysis: Eastern Mediterranean palaeocli-

mates from 26 to 5 ka B.P. documented by pollen and isotopic analysis of a core in the anoxic Bannock Basin (Cheddadi, Rachid, et al.)

100(1-4): 53-66

 Eocene/Oligocene paleoceanography in the Antarctic Ocean, Atlantic sector (Maud Rise, ODP Leg 113, Site 689B and 690B)

(Diester-Haass, Liselotte) 100(1-4): 249-276

— Evolution of a deep-water carbonate platform; Upper Cretaceous to Pleistocene sedimentary environments on the West Florida margin

(Gardulski, Anne F., et al.) 101(1-4): 163-179

— Glacial deep-water properties in the west-equatorial Pacific; bathyal thermocline near a depth of 2000 m (Herguera, J. C., et al.) 100(1-4): 201-206

Glacially influenced basin plain sedimentation in the southern Faeroe-Shetland Channel, Northwest United Kingdom continental margin

(Stoker, M. S., et al.) 100(1-4): 185-199

— Late Pleistocene carbonate stratigraphy on Ontong-Java
Plateau in the western Equatorial Pacific

(Wu, Guoping, et al.) 99(1-2): 135-150

— Late Quaternary evolution of the Gulf of Patras, Greece; tectonism, deltaic sedimentation and sea-level change (Chronis, George, et al.) 97(1-2): 191-209

 Peruvian coastal upwelling; late Quaternary productivity changes revealed by diatoms

(Schrader, Hans, et al.) 97(3-4): 233-249
— Sedimentation and climate-induced sediments on Feni Ridge, Northeast Atlantic Ocean
(van Weering, T. C. E., et al.) 101(1-4): 49-69

gas hydrates: Observations of gas hydrates in marine sediments, offshore Northern California
(Brooks, James M., et al.) 96(1-2): 103-109

geochemistry: Abyssal sediment erosion in the central Indian Basin; evidence from radiochemical and radiolarian studies (Banakar, V. K., et al.) 96(1-2): 167-173

 Accumulation rates, chemical partitioning, and Q-mode factor analysis of metalliferous sediments from the North Fiji Basin

(McMurtry, Gary M., et al.)
 98(2-4): 271-295
 Carbon and oxygen isotope composition of foraminifera in two cores from the Bannock Basin area, eastern Medi-

terranean
(Olausson, Eric) 100(1-4): 45-51

Tubancement of diatom frustule dissolution by iron oxy

Enhancement of diatom frustule dissolution by iron oxides
 (Mayer, Lawrence M., et al.)
 99(1-2): 263-266

— Geochemical characteristics of western Ross Sea (Antarctica) sediments
(Hieke Merlin, O., et al.) 99(1-2): 209-229

 Geochemistry and geochronology of a hydrothermal ferromanganese deposit from the North Fiji Basin (Murphy, Edward, et al.) 98(2-4): 297-312

Geochemistry of eastern Mediterranean sediments; primary sediment composition and diagenetic alterations
 (Pruysers, Peter A., et al.)
 100(1-4): 137-154

Geochemistry of Recent hydrothermal sediments in relation to tectonic environment in the Lau Basin, Southwest Pacific

(Hodkinson, R. A., et al.) 98(2-4): 353-366

— Marine geology of the Gulf of Trieste (northern Adriatic);

geochemical aspects
(Faganeli, J., et al.)
99(1-2): 93-108

Pleistocene δ<sup>18</sup>O records from Ontong-Java Plateau; effects of winnowing and dissolution

(Wu, Guoping, et al.) 96(3-4): 193-209

— Rates of particle scavenging, sediment reworking, and

longitudinal ripple formation at the HEBBLE site based on measurements of <sup>234</sup>Th and <sup>210</sup>Pb (DeMaster, David J., et al.) 99(3-4): 423-444

Stable isotopic and carbonate cyclicity in Lower Cretaceous deep-sea sediments; dominance of diagenetic effects (Thierstein, Hans R., et al.)

97(1-2): 1-34

lithofacies: Application of image analysis for delineating modern carbonate facies changes through time; Grand Cayman, western Caribbean Sea

(Tongpenyai, Boonrasti, et al.) 96(1-2): 85-101

(Tongpenyai, Boonrasri, et al.)
 Pacies analysis of Pleistocene sediments from the Bannock Basin area; a key to the reconstruction of its tectonic evolution

(Nolli, Vilia, et al.) 100(1-4): 5-20
 Hurricane-induced carbonate enrichment of a Holocene coastal bay sequence, Sarasota Bay, Florida

(Knowles, Stephen C., et al.) 99(1-2): 151-161

<ul> <li>Late Pleistocene sedimentation on the Norwegian conti- nental slope between 67° and 71°N</li> </ul>	<ul> <li>The influences of suspended load on the sedimentation in the coastal zones and continental shelves of China</li> </ul>		
(Yoon, S. H., et al.) 99(1-2): 187-207	(Li Congxian, et al.) 96(3-4): 341-352		
- Marine geology of the Gulf of Trieste (northern Adriatic);	sapropel: Anoxic basins and sapropel deposition in the east-		
sedimentological aspects	ern Mediterranean; past and present		
(Ogorelec, B., et al.) 99(1-2): 79-92	(Cita, Maria Blanca, et al.) 100(1-4): 1-182		
- Molluscan faunas and paleobathymetry of Holocene se-	<ul> <li>Introduction; anoxic basins and sapropel deposition in the</li> </ul>		
quences in the northeastern Nile Delta, Egypt	eastern Mediterranean; past and present		
(Bernasconi, Maria Pia, et al.) 99(1-2): 29-43	(Cita, Maria Bianca, et al.) 100(1-4): 1-4		
- Sedimentary facies of glacial-interglacial cycles in the	<ul> <li>The occurrence and significance of Pleistocene and upper</li> </ul>		
Norwegian Sea during the last 350 ka [discussion and	Pliocene sapropels in the Tyrrhenian Sea		
reply]	(Emeis, Kay-Christian, et al.) 100(1-4): 155-182		
(Thomson, John, et al.) 96(1-2): 131-136	textures: Grain-size relationship between suspended matter		
- Seismic stratigraphy of Discovery Bay, Jamaica	originating in the Gironde Estuary and shelf mud-patch		
(Hine, Albert C., et al.) 98(1): 83-97	deposits		
- Shallow seismic stratigraphy and distribution pattern of	(Weber, O., et al.) 96(1-2): 159-165		
late Quaternary sediments in a macrotidal bay; Gunhung	volcaniclastics: Tephra layers in Bannock Basin (eastern		
Bay, west coast of Korea	Mediterranean)		
(Park, S. C., et al.) 98(1): 135-144	(Vezzoli, Luigina) 100(1-4): 21-34		
- The Messinian event on the margin of the Mediterranean	seismic surveys see under geophysical surveys under Aegean		
Sea in the Nice area, southern France	Sea; Antarctic Ocean; Arctic Ocean; Atlantic Ocean; Gulf of		
(Savoye, Bruno, et al.) 97(3-4): 279-304	Mexico; Iceland; Jamaica; Japan Sea; Mediterranean Sea;		
lithostratigraphy: Early Cenozoic sedimentation in the Ham-	Pacific Ocean; Yellow Sea		
merfest Basin	shore features see under geomorphology		
(Knutsen, Stig-Morten, et al.) 101(1-4): 31-48	shorelines see also under engineering geology under Argentina;		
- Evolution of the Cenozoic sedimentary wedge during rift-	Gulf Coastal Plain		
ing and seafloor spreading west of the Stappen High, west-	shorelines—changes		
ern Barents Sea	monitoring: Shoreline changes along the Rosetta-Nile Promontory; monitoring with satellite observations		
(Richardsen, G., et al.) 101(1-4): 11-30			
- Quaternary stratigraphy of the Draugen area, Mid-	(Blodget, H. W., et al.) 99(1-2): 67-77		
Norwegian Shelf	transgression: Geologic evidence of net onshore sand tran-		
(Haflidason, Haflidi, et al.) 101(1-4): 125-145	sport throughout the Holocene marine transgression,		
- The Quaternary succession in the northern North Sea	Southwest Florida		
(Sejrup, Hans Petter, et al.) 101(1-4): 103-111	(Parkinson, Randall W.) 96(3-4): 269-277		
mechanical properties: Sediment failure on the Korea Plateau	slope stability see also geomorphology		
slope, East Sea (Sea of Japan)			
(Lee, H. J., et al.) 97(3-4): 363-377	slope stability—mass movements		
mineral composition: Comparative mineralogy and geochem-	submarine environment: Sediment failure on the Korea Pla-		
istry of gold-bearing sulfide deposits on the mid-ocean	teau slope, East Sea (Sea of Japan) (Lee, H. J., et al.) 97(3-4): 363-377		
ridges	( )		
(Hannington, Mark, et al.) 101(1-4): 217-248	soil mechanics—materials, properties		
- Surface sediment carbonate mineralogy and water co-	marine sediments: Sediment failure on the Korea Plateau		
lumn chemistry; Nicaragua Rise versus the Bahamas	slope, East Sea (Sea of Japan)		
(Droxler, Andre, et al.) 100(1-4): 277-289	(Lee, H. J., et al.) 97(3-4): 363-377		
organic materials: Analysis of sedimentary organic matter of	Solomon Islands—economic geology		
a glacial/interglacial change (oxygen isotope stage 6/5) in	petroleum: Dynamic strike-slip fault systems with respect to		
the Norwegian-Greenland Sea	the Solomon Islands, and their effect on mineral potential		
(Botz, R., et al.) 98(1): 113-119	(Coleman, Patrick J.) 98(2-4): 167-176		
- Deep mid-water bacterial mats from anoxic basins of the	- Potential Mio-Pliocene reef traps in the Iron Bottom Ba-		
eastern Mediterranean	sin, Solomon Islands		
(Erba, Elisabetta) 100(1-4): 83-101	(Johnson, Howard, et al.) 98(2-4): 177-186		
physical properties: Parasound echosounding; comparison of	Solomon Islands—oceanography		
analogue and digital echosounder records and physical	reefs: Potential Mio-Pliocene reef traps in the Iron Bottom		
properties of sediments from the Equatorial South Atlantic	Basin, Solomon Islands		
(Rostek, Frauke, et al.) 99(1-2): 1-18	(Johnson, Howard, et al.) 98(2-4): 177-186		
provenance: History of terrigenous sedimentation during the	Solomon Islands—structural geology		

past 10 m.y. in the North Atlantic (ODP legs 104 and 105

- Surface and near-surface sediments from the continental

shelf off the Russian River, Northern California

101(1-4): 83-102

99(1-2): 163-173

and DSDP Leg 81) (Wolf, Thomas C. W., et al.)

(Demirpolat, Suleyman)

neotectonics: Dynamic strike-slip fault systems with respect

sonar methods see under acoustical methods under geophysical

(Coleman, Patrick J.)

to the Solomon Islands, and their effect on mineral poten-

98(2-4): 167-176

South Africa—geomorphology

shore features: Beachrock formation in low latitudes; implications for coastal evolutionary models

(Cooper, J. Andrew G.) 98(1): 145-154

South Africa-stratigraphy

changes of level: Shoreline deposits and diagenesis resulting from two late Pleistocene highstand near +5 and +6 metres, Durban, South Africa (Cooper, J. Andrew G., et al.) 97(3-4): 325-343

Pleistocene: Shoreline deposits and diagenesis resulting from two late Pleistocene highstand near +5 and +6 metres, Durban, South Africa (Cooper, J. Andrew G., et al.) 97(3-4): 325-343

South America see also Argentina; Peru; Venezuela

South Carolina—geomorphology

processes: Fluvial sediment delivery to a coastal plain estuary in the Atlantic drainage of the United States (Phillips, Jonathan D.)

Southern Hemisphere see also Antarctic Ocean; Antarctica; Atlantic Ocean; Indian Ocean; Pacific Ocean

Southern Hemisphere—geomorphology

shore features: Beachrock formation in low latitudes; implications for coastal evolutionary models (Cooper, J. Andrew G.) 98(1): 145-154

Spain-geochronology

Holocene: The Corrubedo beach-lagoon complex, Galicia, Spain: dynamics, sediments and Recent evolution of a mesotidal coastal embayment (Vilas, Federico E., et al.)

Spain-geomorphology

changes of level: The Corrubedo beach-lagoon complex, Galicia, Spain; dynamics, sediments and Recent evolution of a mesotidal coastal embayment 97(3-4): 391-404 (Vilas, Federico E., et al.)

spectroscopy see also chemical analysis; X-ray analysis

stratigraphy-concepts

unconformities: Onlap, offlap, and the origin of unconformity-bounded depositional sequences (Christie-Blick, Nicholas) 97(1-2): 35-56

sulfur-analysis

polarography: Determination of inorganic sulphur speciation with polarographic techniques; some preliminary results for Recent hypersaline anoxic sediments

(Henneke, Else, et al.) 100(1-4): 115-123

sulphur see sulfur

symposia-areal geology

Pacific Ocean: The geology, geophysics and mineral resources of the South Pacific (Crook, Keith A. W.) 98(2-4): 155-470

tectonics see also faults

tephrochronology see under geochronology

Tertiary see also under stratigraphy under Antarctic Ocean theoretical studies see under marine geology; oceanography

thermal analysis see also chemical analysis; X-ray analysis

thorium-isotopes

Th-234: Rates of particle scavenging, sediment reworking, and longitudinal ripple formation at the HEBBLE site based on measurements of 234Th and 210Pb (DeMaster, David J., et al.) 99(3-4): 423-444

time scales see under geochronology

trace elements see under geochemistry under Adriatic Sea; Antarctic Ocean; Atlantic Ocean; lava; Mediterranean Sea; Pacific Ocean

turbidity currents see under transport under sedimentation

Turkey-geomorphology

changes of level: Holocene raised shorelines on the Hatay coasts (Turkey); palaeoecological and tectonic implica-(Pirazzoli, P. A., et al.) 96(3-4): 295-311

Turkey-oceanography

sedimentation: Distribution of surficial shelf sediments in the northeastern and southwestern parts of the Sea of Marmara; strait and canyon regimes of the Dardanelles and Bosporus (Ergin, M., et al.) 96(3-4): 313-340

Turkey-structural geology

neotectonics: Holocene raised shorelines on the Hatay coasts (Turkey); palaeoecological and tectonic implications (Pirazzoli, P. A., et al.) 96(3-4): 295-311

Tyrrhenian Sea-oceanography

sedimentation: The occurrence and significance of Pleistocene and upper Pliocene sapropels in the Tyrrhenian Sea (Emeis, Kay-Christian, et al.) 100(1-4): 155-182

unconformities see under concepts under changes of level; stratigraphy

United Kingdom see also England; Scotland; Wales

United States see also Alaska; California; Florida; Hawaii; Maryland; North Carolina; South Carolina; Virginia

Venezuela—oceanography

continental margin: Quaternary deposits on the South Barbados accretionary prism (Faugeres, J. C., et al.) 96(3-4): 247-267

vertebrates see also fish

Virginia—oceanography

sedimentation: Modes of cross-shore sediment transport on the shoreface of the Middle Atlantic Bight (Wright, L. D., et al.) 96(1-2): 19-51

volcanic rocks see under igneous rocks

volcanism see under volcanology

volcanoes see under volcanology

volcanology-volcanism

Cenozoic: Lamprophyric volcanism of Cenozoic age on the Sierra Leone Rise; implications for regional tectonics and the stratigraphic time scale (Jones, E. J. W., et al.) 99(1-2): 19-28

volcanology-volcanoes

Kilauea: Chemical alteration of seawater by lava from Kilauea Volcano, Hawaii (Sedwick, P. N., et al.) 96(1-2): 151-158

Wales-oceanography

sedimentation: Sand transport in the Bristol Channel; bedload parting zone or mutually evasive transport pathways? (Harris, P. T., et al.) 101(1-4): 209-216

- Sand transport in the Bristol Channel east of Bull Point and Worms Head; a bed-load parting model with some indications of mutually evasive sand transport paths 101(1-4): 203-207 (Stride, A. H., et al.)

water see also hydrology

West Indies see also Bahamas; Barbados; Jamaica; Puerto Rico Western Hemisphere see also Atlantic Ocean; Pacific Ocean

Western U.S. see also Alaska; California; Hawaii

X-ray analysis see also chemical analysis

X-ray analysis-X-ray diffraction analysis

sample preparation: Suggestions for authors whose manuscripts include quantitative clay mineral analysis by X-ray diffraction

(McManus, Dean A.)

98(1): 1-5

X-ray diffraction analysis see under X-ray analysis

Yellow Sea-geophysical surveys

seismic surveys: Shallow seismic stratigraphy and distribution pattern of late Quaternary sediments in a macrotidal bay; Gunhung Bay, west coast of Korea

98(1): 135-144

(Park, S. C., et al.) Yellow Sea—oceanography

sedimentation: Sediment accumulation in a modern epicontinental-shelf setting; the Yellow Sea (Alexander, C. R., et al.) 98(1): 51-72

zoogeography see biogeography

